



Contents lists available at ScienceDirect

# Science of the Total Environment

journal homepage: [www.elsevier.com/locate/scitotenv](http://www.elsevier.com/locate/scitotenv)



## Review

### Priorities to inform research on marine plastic pollution in Southeast Asia



Lucy C.M. Omeyer<sup>a,\*</sup>, Emily M. Duncan<sup>a,b,\*\*</sup>, Kornrawee Aiemsomboon<sup>c</sup>, Nicola Beaumont<sup>d</sup>, Sujaree Bureekul<sup>c</sup>, Bin Cao<sup>e,f</sup>, Luis R. Carrasco<sup>g</sup>, Suchana Chavanich<sup>c,h</sup>, James R. Clark<sup>d</sup>, Muhammad R. Cordova<sup>i,j</sup>, Fay Couceiro<sup>k</sup>, Simon M. Cragg<sup>l,m</sup>, Neil Dickson<sup>n</sup>, Pierre Failler<sup>o</sup>, Gianluca Ferraro<sup>o</sup>, Stephen Fletcher<sup>p,q</sup>, Jenny Fong<sup>r</sup>, Alex T. Ford<sup>l</sup>, Tony Gutierrez<sup>s</sup>, Fauziah Shahul Hamid<sup>t</sup>, Jan G. Hiddink<sup>n</sup>, Pham T. Hoa<sup>u</sup>, Sophie I. Holland<sup>s</sup>, Lowenna Jones<sup>a,v</sup>, Nia H. Jones<sup>n</sup>, Heather Koldewey<sup>a,w</sup>, Federico M. Lauro<sup>e,x</sup>, Charlotte Lee<sup>y</sup>, Matt Lewis<sup>n</sup>, Danny Marks<sup>z</sup>, Sabine Matallana-Surget<sup>y</sup>, Claudia G. Mayorga-Adame<sup>aa</sup>, John McGeehan<sup>m</sup>, Lauren F. Messer<sup>y</sup>, Laura Michie<sup>l</sup>, Michelle A. Miller<sup>ab</sup>, Zeeda F. Mohamad<sup>ac</sup>, Nur Hazimah Mohamed Nor<sup>x</sup>, Moritz Müller<sup>ad</sup>, Simon P. Neill<sup>n</sup>, Sarah E. Nelms<sup>a</sup>, Deo Florence L. Onda<sup>ae</sup>, Joyce J.L. Ong<sup>x</sup>, Agamuthu Pariatambay<sup>af</sup>, Sui C. Phang<sup>o,ag</sup>, Richard Quilliam<sup>y</sup>, Peter E. Robins<sup>n</sup>, Maria Salta<sup>ah</sup>, Aida Sartimbul<sup>ai,aj</sup>, Shiori Shakuto<sup>ak</sup>, Martin W. Skov<sup>n</sup>, Evelyn B. Taboada<sup>al</sup>, Peter A. Todd<sup>am</sup>, Tai Chong Toh<sup>r,an</sup>, Suresh Valiyaveetil<sup>ao</sup>, Voranop Viyakarn<sup>c,h</sup>, Passorn Wonnapijit<sup>ap,aq,ar</sup>, Louisa E. Wood<sup>o</sup>, Clara L.X. Yong<sup>am</sup>, Brendan J. Godley<sup>a</sup>

<sup>a</sup> Centre for Ecology and Conservation, University of Exeter, Penryn Campus, Penryn, Cornwall TR10 9EZ, United Kingdom

<sup>b</sup> Institute of Marine Sciences - Okeanos, University of the Azores, Rua Professor Doutor Frederico Machado 4, 9901-862 Horta, Portugal

<sup>c</sup> Department of Marine Science, Faculty of Science, Chulalongkorn University, Bangkok 10330, Thailand

<sup>d</sup> Plymouth Marine Laboratory, Prospect Place, The Hoe, Plymouth, Devon PL1 3DH, United Kingdom

<sup>e</sup> Singapore Centre for Environmental Life Sciences Engineering, Nanyang Technological University, 637551, Singapore

<sup>f</sup> School of Civil and Environmental Engineering, Nanyang Technological University, 50 Nanyang Avenue, 639798, Singapore

<sup>g</sup> Department of Biological Sciences, National University of Singapore, 14 Science Drive 4, 117543, Singapore

<sup>h</sup> Aquatic Resources Research Institute Chulalongkorn University, Bangkok 10330, Thailand

<sup>i</sup> Research Centre for Oceanography, Indonesian Institute of Sciences (LIPI), Jalan Pasir Putih 1, Ancol Timur, Jakarta 14430, Indonesia

<sup>j</sup> Research Centre for Oceanography, National Research and Innovation Agency (BRIN), Jalan Pasir Putih 1, Ancol Timur, Jakarta 14430, Indonesia

<sup>k</sup> School of Civil Engineering and Surveying, Faculty of Technology, University of Portsmouth, Portsmouth, Hampshire PO1 3AH, United Kingdom

<sup>l</sup> Institute of Marine Sciences, University of Portsmouth, Portsmouth, Hampshire PO4 9LY, United Kingdom

<sup>m</sup> Centre for Enzyme Innovation, School of Biological Sciences, University of Portsmouth, Portsmouth, Hampshire PO1 2DY, United Kingdom

<sup>n</sup> School of Ocean Sciences, Bangor University, Menai Bridge, Anglesey LL59 5AB, United Kingdom

<sup>o</sup> Centre for Blue Governance, Department of Economics and Finance, University of Portsmouth, Portsmouth, Hampshire PO1 3DE, United Kingdom

<sup>p</sup> School of the Environment, Geography and Geosciences, University of Portsmouth, Portsmouth, Hampshire PO1 3DE, United Kingdom

<sup>q</sup> UN Environment World Conservation Monitoring Centre, Cambridge, United Kingdom

<sup>r</sup> Tropical Marine Science Institute, National University of Singapore, Singapore

<sup>s</sup> School of Engineering and Physical Sciences, Institute of Mechanical, Process and Energy Engineering, Heriot-Watt University, Edinburgh, United Kingdom

<sup>t</sup> Centre for Research in Waste Management, Institute of Biological Sciences, Faculty of Science, University of Malaya, 50603 Kuala Lumpur, Malaysia

<sup>u</sup> School of Biotechnology, International University, Vietnam National University, Ho Chi Minh City, Viet Nam

<sup>v</sup> Department of Politics and International Relations, Faculty of Social Sciences, University of Sheffield, Western Bank, Sheffield S10 2TN, United Kingdom

<sup>w</sup> Zoological Society of London, London, United Kingdom

<sup>x</sup> Asian School of the Environment, Nanyang Technological University, 50 Nanyang Avenue, 639798, Singapore

<sup>y</sup> Division of Biological and Environmental Sciences, Faculty of Natural Sciences, University of Stirling, Stirling FK9 4LA, United Kingdom

<sup>z</sup> School of Law and Government, Dublin City University, Dublin 9 Dublin, Ireland

<sup>aa</sup> National Oceanography Centre, Liverpool L3 5DA, United Kingdom

<sup>ab</sup> Asia Research Institute, National University of Singapore, Singapore

<sup>ac</sup> Department of Science and Technology Studies, Faculty of Science, University of Malaya, 50603 Kuala Lumpur, Malaysia

<sup>ad</sup> Faculty of Engineering, Computing and Science, Swinburne University of Technology Sarawak Campus, Kuching 93350, Malaysia

<sup>ae</sup> The Marine Science Institute, Velasquez St., University of the Philippines, Diliman, Quezon City 1101, Philippines

<sup>af</sup> Jeffrey Sachs Centre on Sustainable Development, Sunway University, Selangor Darul Ehsan 47500, Malaysia

<sup>ag</sup> The Nature Conservancy, London Office, 5 Chancery Lane Suite 403, London WC2A 1LG, United Kingdom

<sup>ah</sup> School of Biological Sciences, University of Portsmouth, Portsmouth, Hampshire PO1 2DY, United Kingdom

\* Corresponding author.

\*\* Correspondence to: E.M. Duncan, Institute of Marine Sciences - Okeanos, University of the Azores, Rua Professor Doutor Frederico Machado 4, 9901-862 Horta, Portugal.  
E-mail addresses: [L.C.M.Omeyer@exeter.ac.uk](mailto:L.C.M.Omeyer@exeter.ac.uk) (L.C.M. Omeyer), [emily.m.duncan@uac.pt](mailto:emily.m.duncan@uac.pt) (E.M. Duncan).


<sup>1</sup> Joint-lead authors.

- <sup>ai</sup> Faculty of Fisheries and Marine Sciences, Universitas Brawijaya, Malang 65145, East Java, Indonesia
- <sup>aj</sup> Marine Resources Exploration and Management (MEXMA) Research Group, Universitas Brawijaya, Malang 65145, East Java, Indonesia
- <sup>ak</sup> Department of Anthropology, School of Social and Political Sciences, The University of Sydney, Social Sciences Building, NSW 2006, Australia
- <sup>al</sup> BioProcess Engineering and Research Centre, Department of Chemical Engineering, School of Engineering, University of San Carlos, Cebu City 6000, Philippines
- <sup>am</sup> Experimental Marine Ecology Laboratory, Department of Biological Sciences, National University of Singapore, 16 Science Drive 4, 117558, Singapore
- <sup>an</sup> College of Alice & Peter Tan, National University of Singapore, 8 College Avenue East, 138615, Singapore
- <sup>ao</sup> Department of Chemistry, National University of Singapore, 3 Science Drive 3, 117543, Singapore
- <sup>ap</sup> Department of Genetics, Faculty of Science, Kasetsart University, Bangkok 10900, Thailand
- <sup>aq</sup> Centre for Advanced Studies in Tropical Natural Resources, Kasetsart University, Bangkok 10900, Thailand
- <sup>ar</sup> Omics Center for Agriculture, Bioresources, Food and Health, Kasetsart University (OmiKU), Bangkok 10900, Thailand

HIGHLIGHTS

- Established key research questions for marine plastic pollution in Southeast Asia
- Need to better understand fate, degradation and impacts of plastics regionally
- Suffers from transboundary problems, lack of responsibility and inaction
- Further research needed to support development of mitigation measures in the region

GRAPHICAL ABSTRACT



ARTICLE INFO

Editor: Jay Gan

- Keywords:**  
 Environmental governance  
 Marine debris  
 Marine ecosystems  
 Marine litter  
 Plastic debris  
 Waste management

ABSTRACT

Southeast Asia is considered to have some of the highest levels of marine plastic pollution in the world. It is therefore vitally important to increase our understanding of the impacts and risks of plastic pollution to marine ecosystems and the essential services they provide to support the development of mitigation measures in the region. An interdisciplinary, international network of experts (Australia, Indonesia, Ireland, Malaysia, the Philippines, Singapore, Thailand, the United Kingdom, and Vietnam) set a research agenda for marine plastic pollution in the region, synthesizing current knowledge and highlighting areas for further research in Southeast Asia. Using an inductive method, 21 research questions emerged under five non-predefined key themes, grouping them according to which: (1) characterise marine plastic pollution in Southeast Asia; (2) explore its movement and fate across the region; (3) describe the biological and chemical modifications marine plastic pollution undergoes; (4) detail its environmental, social, and economic impacts; and, finally, (5) target regional policies and possible solutions. Questions relating to these research priority areas highlight the importance of better understanding the fate of marine plastic pollution, its degradation, and the impacts and risks it can generate across communities and different ecosystem services. Knowledge of these aspects will help support actions which currently suffer from transboundary problems, lack of responsibility, and inaction to tackle the issue from its point source in the region. Being profoundly affected by marine plastic pollution, Southeast Asian countries provide an opportunity to test the effectiveness of innovative and socially inclusive changes in marine plastic governance, as well as both high and low-tech solutions, which can offer insights and actionable models to the rest of the world.

Contents

1.	Introduction . . . . .	3
2.	Material and methods . . . . .	3
3.	Results – identified themes and priority research questions . . . . .	4
3.1.	THEME 1: description of marine plastic pollution. . . . .	6
3.1.1.	Question 1: what are the origins of plastic pollution in the marine environment in Southeast Asia? . . . . .	6
3.1.2.	Question 2: what are the main plastic entry points into the marine environment in Southeast Asia? . . . . .	6
3.1.3.	Question 3: what are the most appropriate methodological approaches to characterise marine plastic pollution? . . . . .	7
3.2.	THEME 2: movement and fate . . . . .	7
3.2.1.	Question 4: what drives dominant movement patterns and dispersal pathways of plastic in Southeast Asia? . . . . .	7
3.2.2.	Question 5: which habitats act as major accumulation zones in Southeast Asia? . . . . .	7
3.2.3.	Question 6: how will extreme weather events influence source-sink dynamics in Southeast Asia? . . . . .	7
3.3.	THEME 3: biological and chemical modifications. . . . .	8
3.3.1.	Question 7: what are the assemblage and ecological driving forces of plastisphere biofilms? . . . . .	8
3.3.2.	Question 8: what is the potential for marine plastic pollution to transport pollutants and create hotspots of antimicrobial resistance? . . . . .	8
3.3.3.	Question 9: what is the pattern of fragmentation and degradation of plastic pollution? . . . . .	8
3.4.	THEME 4: environmental, social, and economic impacts. . . . .	8
3.4.1.	Question 10: what are the impacts of plastic pollution on marine organisms? . . . . .	8
3.4.2.	Question 11: what are the impacts of plastic pollution on key marine habitats in Southeast Asia? . . . . .	9

3.4.3.	Question 12: what are the impacts of plastic pollution on marine ecosystem services in Southeast Asia? . . . . .	9
3.4.4.	Question 13: what are the relationships between marine plastics, livelihoods, and poverty alleviation in Southeast Asia? . . . . .	9
3.4.5.	Question 14: how is the economic cost of pollution shared between polluter and polluted countries in Southeast Asia? . . . . .	9
3.4.6.	Question 15: what is the role of plastic debris in degrading seafood safety? . . . . .	10
3.5.	THEME 5: regional policies and possible solutions . . . . .	10
3.5.1.	Question 16: how can we identify effective interventions in Southeast Asia? . . . . .	10
3.5.2.	Question 17: how can a circular economy of plastics be developed to benefit livelihoods in coastal communities in Southeast Asia? . . . . .	10
3.5.3.	Question 18: how to design effective, comprehensive awareness, education, and monitoring programmes? . . . . .	10
3.5.4.	Question 19: how effective are the major regional policy interventions to reduce plastic waste? . . . . .	10
3.5.5.	Question 20: what are the geopolitical roles of countries in exporting/transporting plastic waste in Southeast Asia? . . . . .	11
3.5.6.	Question 21: what is the political framework of marine plastic governance and how can it be improved in Southeast Asia? . . . . .	11
4.	Conclusion . . . . .	11
	CRedit authorship contribution statement . . . . .	11
	Declaration of competing interest . . . . .	12
	Acknowledgements . . . . .	12
	References . . . . .	12

## 1. Introduction

Southeast Asia consists of 11 countries, namely Brunei Darussalam, Cambodia, Indonesia, Laos (the only land-locked country), Malaysia, Myanmar, the Philippines, Singapore, Timor-Leste, Thailand, and Vietnam. The region includes almost 150,000 km of coastline and over 25,000 islands. It is a richly biodiverse region, hosting approximately 34 % of the world's coral reefs (Burke et al., 2002; Tun et al., 2005) and 25–33 % of global mangrove forests (Spalding et al., 2010), and where most tropical marine biota has its greatest species richness (Briggs, 1999; Tittensor et al., 2010). Over 80 % of the region's reefs, however, are currently at risk from numerous threats, including overfishing, coastal development, marine pollution, aquaculture and agriculture, and climate change (Burke et al., 2002), resulting in significant species declines (Yamakita et al., 2017).

Alongside its extensive biodiversity, Southeast Asia is the third most populated geographical region in Asia, with over three quarters of its majority urban human population living in coastal communities (PEMSEA, 2015). The coastal and riparian orientation of human settlement in Southeast Asia has been accompanied by rapid economic growth, urbanization, and globalization. These are all factors that generate wide-ranging environmental effects, while exposing a large proportion of the population to climate change impacts, extreme weather events, and recurring urban flooding episodes (Brahmasrene and Lee, 2017; Khan, 2019; Kurniawan and Managi, 2018; Miller et al., 2018).

Furthermore, Southeast Asia has among the highest levels of marine plastic pollution globally, with Indonesia (10 %), the Philippines (6 %), Vietnam (6 %), Thailand (3 %), and Malaysia (3 %) estimated to cumulatively contribute almost a third (30 %) of marine plastic pollution to the world's oceans (Jambeck et al., 2015). Ecosystem services, defined as the benefits people obtain from nature (Liquete et al., 2013), are negatively impacted by the presence of plastic pollution (Fig. 1), causing considerable environmental, social, and economic impacts, with cascading implications for human health, wellbeing, and livelihoods in coastal communities (Abalansa et al., 2020; Beaumont et al., 2019; Thushari and Senevirathna, 2020).

The impacts of marine plastic pollution in Southeast Asia have been reviewed several times (Curren et al., 2021; Lyons et al., 2020, 2019), highlighting knowledge gaps which need to be addressed to inform more effective solutions. For example, research on microplastics, defined as particles which range from 0.1  $\mu\text{m}$  to 5 mm in size (SAPEA, 2019), is especially limited from Cambodia, Laos, and Timor-Leste (Curren et al., 2021). To increase our understanding of the impacts and risks of plastics to marine ecosystems and their services, as well as to support the development of mitigation measures, an interdisciplinary, international network of experts established a research agenda for marine plastic pollution in the region, providing in-depth knowledge of marine plastics associated with identified research priorities and highlighting areas for further research in Southeast

Asia. Research questions were grouped using an inductive method into five non-predefined key themes, which: (1) characterise marine plastic pollution in Southeast Asia; (2) explore its movement and fate across the region; (3) describe the biological and chemical modifications marine plastic pollution undergoes; (4) detail its environmental, social, and economic impacts; and (5) target regional policies and possible solutions. While applicable to other parts of the world, each question is discussed within the context of Southeast Asia.

## 2. Material and methods

The process followed for the writing of this review is detailed below and summarised in Fig. 2. Authors engaged in active collaborative work to interpret and reframe the research design and guiding the questions, providing their in-depth knowledge of marine plastic pollution in answering the developed priority research questions, ranging from conservation to molecular biology, within a Southeast Asian context.

Between February and March 2021, a horizon-scanning exercise was conducted to gather suggestions for priority research questions for marine plastic pollution with a particular focus on Southeast Asia. Authors were selected from their involvement in the four projects funded by "Understanding the Impact of Plastic Pollution on Marine Ecosystems in Southeast Asia", Southeast Asia Plastics (SEAP) programme, an initiative co-funded by the Natural Environment Research Council (United Kingdom) and the National Research Foundation (Singapore).

In a preliminary survey established by the joint-lead and senior authors, other invited authors identified what they thought were the top three to five research priorities for marine plastic pollution in the region, targeted at expanding our understanding of the scale of the problem and the potential solutions and policy drivers. We employed respondent-driven sampling to ensure quality and diversity in author representation (Newing, 2010). This purposive sampling approach requests those directly contacted to recruit additional authors among their colleagues and peers involved in the SEAP programme. Most authors of this review participated in the first survey ( $n = 55$ ) from countries including Australia, Indonesia, Ireland, Malaysia, the Philippines, Singapore, Thailand, the United Kingdom, and Vietnam.

The answers from the horizon-scanning exercise were categorised using an inductive approach. After the initial reading of all the suggestions ( $n = 214$ ), the entire set of priority research questions was coded, forming the basis of repeated patterns (themes) across all the author survey responses (Braun and Clarke, 2006). Summary themes were identified through the process of directly examining the survey responses instead of having predefined categories (Elo and Kyngäs, 2008). Seven broad summary themes emerged (1. Description of plastic pollution; 2. Movement & fate; 3. Biological & chemical modifications; 4. Environmental impacts; 5. Socio-economic impacts; 6. Possible solutions; and 7. Regional policy), with an average of 32 (range: 24–39) suggestions within each theme. This process





**Fig. 1.** Examples of plastic pollution in Southeast Asia: a) after rainfall under the bridge of Sungai Ciluar, Bogor, Indonesia (photo credit: Muhammad Reza Cordova); b) in a mangrove forest in Carmen, Cebu, Philippines (photo credit: University of San Carlos, SEAMaP team); c) in Rambut Island Wildlife Reserve, Jakarta Bay, Indonesia (photo credit: Muhammad Reza Cordova); d) on a beach in Tanah Merah, Singapore (photo credit: Tai Chong Toh); e) on a coral reef in Paiton, East Java, Indonesia during a coastal cleanup (photo credit: Ruly Istaful Khasana); and f) plastic bottles on the seafloor at Lazarus Island, Singapore (photo credit: Our Singapore Reef).

was repeated once within each theme to establish three priority research questions, consolidating similar suggestions or repeated keywords and concepts together, forming standalone questions. These resulted in a consolidated list of 21 research questions, across seven themes, which were further refined according to readability, with the support of two authors.

Individuals from the first survey were grouped and assigned questions based on their expertise identified during the first survey, for which authors contributed explanatory narratives drawing from their research knowledge, particularly regarding the Southeast Asian region. Two follow-up surveys were then sent to these authors between April and May 2021 to acquire feedback on the themes, question formulations, and author group assignments. This feedback loop facilitated the reduction of themes from seven

to five, which, in turn, improved the clarity of the review. Specifically, sections on environmental and socio-economic impacts were combined, as were sections on possible solutions and regional policy. Author groups, each comprising between three and seven members, subsequently wrote short narratives supporting the importance of each question, forming the basis of this review. An additional five authors were identified during this process due to their expertise, who participated in the writing.

### 3. Results – identified themes and priority research questions

Five non-predefined key themes emerged from the horizon-scanning exercise, with between three and six priority research questions under each






Fig. 2. Summary of horizon-scanning writing process.

theme (Fig. 3, Table S1). These were established by an interdisciplinary, international network of experts, who brought their in-depth disciplinary and geographical knowledge to bear on complex marine plastic questions.

While some questions are applicable to other parts of the world, each question is discussed within a Southeast Asian context, highlighting key areas for further research in the region.

Theme 1. Description of plastic pollution	Theme 2. Movement & fate	Theme 3. Biological & chemical modifications
<ul style="list-style-type: none"> <li>• Q1. Origins of plastic pollution</li> <li>• Q2. Entry points into the marine environment</li> <li>• Q3. Methodological approaches</li> </ul>	<ul style="list-style-type: none"> <li>• Q4. Movement patterns and dispersal pathways</li> <li>• Q5. Accumulation zones</li> <li>• Q6. Extreme weather events and source-sink dynamics</li> </ul>	<ul style="list-style-type: none"> <li>• Q7. Plasticsphere biofilm assemblage and ecological driving forces</li> <li>• Q8. Pollutant transport and antimicrobial resistance hotspot creation</li> <li>• Q9. Fragmentation and degradation patterns</li> </ul>
Theme 4. Environmental, social, & economic impacts	Theme 5. Regional policies & possible solutions	
<ul style="list-style-type: none"> <li>• Q10. Marine organisms</li> <li>• Q11. Marine habitats</li> <li>• Q12. Ecosystem services</li> <li>• Q13. Livelihoods and poverty alleviation</li> <li>• Q14. Economic cost of pollution between polluter and polluted countries</li> <li>• Q15. Degradation of seafood safety</li> </ul>	<ul style="list-style-type: none"> <li>• Q16. Effective intervention identification</li> <li>• Q17. Circular economy of plastics</li> <li>• Q18. Design of education and monitoring programmes</li> <li>• Q19. Regional policy intervention effects</li> <li>• Q20. Geopolitical roles of countries</li> <li>• Q21. Political framework of marine plastic governance</li> </ul>	

Fig. 3. Summary of the five key themes covered in this review for the purpose of identifying research priorities for marine plastics in Southeast Asia.

3.1. THEME 1: description of marine plastic pollution

3.1.1. Question 1: what are the origins of plastic pollution in the marine environment in Southeast Asia?

Although not unique to Southeast Asia, rising standards of living, fast growing economies, and the region's substantial tourism industry have seen an increased reliance on single-use plastics in multiple sectors (Chaerul et al., 2014; Sur et al., 2018), primarily as packaging (GAIA, 2019; Geyer et al., 2017; GIZ, 2018). This reliance on single-use plastic was exacerbated by the COVID-19 pandemic, with, for example, personal protective equipment accounting for 15–16 % of collected debris at two river outlets into Jakarta Bay, Indonesia in 2020 (Cordova et al., 2021a). Macroplastics, defined as items or particles exceeding 5 mm in size (SAPEA, 2019), enter the marine environment in the region through direct littering (Jayasiri et al., 2013; Thushari et al., 2017a; WWF Philippines, 2020), marine dumping, which is the deliberate disposal of waste at sea (Peng et al., 2019; Richardson et al., 2017; WWF Philippines, 2020), from aquaculture/agriculture facilities (Lee et al., 2006), and from accidental loss from shipping and fishing activities (Richardson et al., 2017; Valderrama Ballesteros et al., 2018). For example, in a survey of six coral reefs in Malaysia, approx. 70 % of collected plastics were single-use items derived from marine dumping and a quarter of items were related to fishing activities, including derelict fishing gear and fishing lines (Santodomingo et al., 2021). Secondary micro- and nanoplastics, the latter being defined as particles smaller than 0.1 μm in size (SAPEA, 2019), enter Southeast Asia's oceans through international ocean flows and domestic sources (Praveena et al., 2021) and are derived from plastic fragmentation. In addition to the marine plastic waste generated within Southeast Asia, developing countries in the region that are major recipients of waste exporting countries, such as the European Union, the United States of

America, and China, often experience leakages from overflowing landfills and overburdened waste processing facilities into the surrounding coastal and marine environment (Marks et al., 2020). For example, Thailand receives several hundreds of thousands of tons of plastic waste imports annually, while an estimated 70 % of the country's domestic waste is being mismanaged (Marks et al., 2020). Of the country's waste produced in 2018, over a quarter was disposed of improperly, with mismanagement leading to waste entering canals or leaking onto beaches during heavy flooding events (Marks et al., 2020). As the amount of plastic waste entering the marine environment remains unclear in Southeast Asia (Cordova et al., 2021b), data-driven research is required to better understand the origins of plastic pollution.

3.1.2. Question 2: what are the main plastic entry points into the marine environment in Southeast Asia?

Rivers are a major transport pathway for plastic pollution to enter the marine environment in Southeast Asia (Fig. 1b; Jambeck et al., 2015; Lahens et al., 2018; Lebreton et al., 2017; Lechthaler et al., 2021; Meijer et al., 2021). Of the predicted global top 50 plastic emitting rivers, over half (58 %, n = 29) are in Southeast Asian countries (Meijer et al., 2021; Fig. 4), although the linkages between freshwater and marine plastic pollution across the region remain critically under-examined. Plastic debris also leaks into the marine environment from densely populated coastal regions, port facilities, and industrial estates – e.g. Greater Jakarta, Indonesia (Cordova and Nurhati, 2019) and East Java, Indonesia (Lestari and Trihadiningrum, 2019) – including landfill sites (Nurhasanah et al., 2021; Sulistyowati et al., 2022) and beaches (Fig. 1d; Jeyasanta et al., 2020; Kunz et al., 2016; Nguyen et al., 2020). Knowledge of debris entry points is key to developing waste management strategies aimed at reducing leakages, the methods for which depend on factors such as source, plastic




Fig. 4. Map of Southeast Asia showing the principal ocean currents of the region and plastic emissions per country and river. The choropleth map represents total plastic emitted into the ocean (millions of tonnes per year), while the scatter plot (orange) shows the geospatial distribution of the relative individual river emissions (tonnes per year). Global surface warm ocean currents are represented by the thick red arrows. Regional surface currents of the Indonesia Through Flow affecting the dispersal of marine plastic litter are represented with thin grey arrows. Data on plastic emissions from Meijer et al. (2021).

debris polymer type, and size (Schmaltz et al., 2020). Quantitative data can be obtained through in-situ sampling of the region's waters. Surface macroplastics within a river plume have also been identified in optical satellite data covering a region close to Da Nang, Vietnam (Biermann et al., 2020). Biases, however, can arise in certain environments, such as rural catchments, which are less frequently investigated, as highlighted in Indonesia (Phelan et al., 2020). Novel observing platforms, such as drones (e.g. Martin et al., 2021), will make it possible to better evaluate entry points into the marine environment in the region. Furthermore, particle backtracking simulations (e.g. Cyprus: Duncan et al., 2018; Indonesia: Iskandar et al., 2021; Australia: Reisser et al., 2013; Arctic: Strand et al., 2021), which model the movement and spatial positioning of plastic particles backwards in time, could be used to help determine potential sources of observed marine plastic pollution in the region.

### 3.1.3. Question 3: what are the most appropriate methodological approaches to characterise marine plastic pollution?

There has been a recent increase in research into the identification and quantification of marine plastic pollution in Southeast Asia (Lyons et al., 2020; Vriend et al., 2021). Numerous methods exist to identify polymers which comprise plastics, however, most studies use Fourier Transform InfraRed (FTIR) or Raman spectroscopy (Hidalgo-Ruz et al., 2012; Kundu et al., 2021; Renner et al., 2018). Although it is often difficult to distinguish pure polymers from polymer blends, these two techniques provide sufficient information on the functional groups present on the polymer backbone. For example, FTIR and Raman spectroscopy were used to show that polypropylene and polyethylene were the most common polymers in Indonesia (Vriend et al., 2021), while polystyrene, polyethylene terephthalates, polyethylene-polypropylene copolymer, and polyacrylates were also detected in sediments in the Gulf of Thailand and Straits of Johor (Malaysia) (Matsuguma et al., 2017). Variations on these techniques, such as  $\mu$ -Raman and attenuated total reflectance FTIR, have also been used to identify microplastic polymers in the remote mid-west Pacific Ocean (F. Wang et al., 2020; S. Wang et al., 2020; T. Wang et al., 2020) and coastal sites around Bintan Island, Indonesia (Syakti et al., 2018), respectively. While these techniques are all suitable to characterise plastics in the region, the scarcity of research equipment in Southeast Asia is currently hampering progress, which could be alleviated through international collaboration among research organisations. Ensuring that standardised protocols are used for the collection, identification, and monitoring of microplastics will enable better data comparison among studies, both within Southeast Asia and globally (Isobe et al., 2019; Koelmans et al., 2020; Kooi and Koelmans, 2019; Michida et al., 2019).

## 3.2. THEME 2: movement and fate

### 3.2.1. Question 4: what drives dominant movement patterns and dispersal pathways of plastic in Southeast Asia?

The movement of plastic waste through the marine environment is mainly driven by ocean currents, but is mediated by coastal, sea-surface, and seabed interactions, as well as the specific characteristics of plastic pollution (Kaiser et al., 2017; Kooi et al., 2017; Long et al., 2015; ter Halle et al., 2016). Additionally, plastic particles can be redistributed organically within faecal pellets of marine organisms (Cole et al., 2016; Cole et al., 2013; see Section 3.4.1). The Indonesia Through Flow (Fig. 4) is the major current between the Pacific and Indian Oceans (Sprintall et al., 2009), and its stratified profile interacts with the region's complex bathymetry (Gordon and Fine, 1996; Sprintall et al., 2009), strong internal tides (Nugroho et al., 2018), seasonal surface-currents (Lee et al., 2019), and currents from the South China Sea (Wang et al., 2019). As such, the complex bathymetry and topography of Southeast Asia, combined with the abundance of 'plastic-trapping' mangrove (Fig. 1a, c), coral (Fig. 1e), and seagrass habitats, present a major modelling challenge (Huang et al., 2020; Smith, 2012). Three-dimensional, high-resolution ocean models that explicitly include (i) tides and their topographic interactions, (ii)

freshwater inputs, (iii) wave and wind dynamics, (iv) baroclinic flows, and (v) extreme weather events are necessary to sufficiently describe the mechanisms driving plastic movement in the region. As highlighted in previous reviews (e.g. van Sebille et al., 2020), addressing the heterogeneity of plastics and parameterising aggregation (see Section 3.2.2), fragmentation (see Section 3.3.3), and/or biofouling processes (see Section 3.3.1) will be essential to accurately characterise plastic waste in these transport models.

### 3.2.2. Question 5: which habitats act as major accumulation zones in Southeast Asia?

High densities of sessile biota in mangrove, seagrass, and coral habitats, which are widespread in coastal and shallow waters in Southeast Asia, directly lead to plastic accumulation by snagging (Fig. 1; Valderrama Ballesteros et al., 2018; van Bijsterveldt et al., 2021), filtering (Chavanich et al., 2020; Martin et al., 2019a; Thushari et al., 2017b), and adhesion (Goss et al., 2018; Martin et al., 2019b). They also indirectly influence accumulation by affecting local hydro- (de Smit et al., 2021; Fonseca et al., 2019) and sediment- (Martin et al., 2020) dynamics. The fate of plastics in these habitats depends on: (1) the morphology and the hydrodynamics of the coastal environment (Cordova et al., 2019; Utami et al., 2021; see Section 3.2.1), (2) the trapping efficiency of these habitats (Cozzolino et al., 2020; de los Santos et al., 2021; de Smit et al., 2021; Harris et al., 2021; Huang et al., 2020; Sanchez-Vidal et al., 2021; Valderrama Ballesteros et al., 2018), and (3) the characteristics of plastic particles, in particular their size (Cozzolino et al., 2020; de los Santos et al., 2021; de Smit et al., 2021; Mohamed Nor and Obbard, 2014). Connectivity between coastal habitats and marine environments, however, can lead to the export of accumulated plastics, particularly in tidal-dominated systems (Harris et al., 2021) or those exposed to extreme events (see Section 3.2.3), resulting in an underestimated abundance of plastic pollution among these habitats. Considering the abundance of these habitats in Southeast Asia, further research is required to better quantify the volume of plastics currently stored in mangrove, seagrass, and coral habitats, and to understand their environmental impacts and consequences for the coastal and riverine communities that depend on them in the region (see Sections 3.4.2–3.4.4).

### 3.2.3. Question 6: how will extreme weather events influence source-sink dynamics in Southeast Asia?

Temporal variability is a key factor in determining the transport between sources and sinks of plastics across Southeast Asia (Kurniawan and Imron, 2019; Xia et al., 2021), although extreme weather events may alter the volume of plastic at sources, as well as temporally change sinks to become sources. Seabed sediments are generally considered a sink for micro- and nanoplastics. However, monsoon seasonal typhoons, which are common in Southeast Asia and cause extreme wind and wave conditions (Nakajima et al., 2022) and other extreme weather events such as storm surges, have the potential for large-scale resuspension and subsequent dispersal of micro- and nanoplastics from accumulation zones (Ivar do Sul et al., 2014; R. Li et al., 2020; Lo et al., 2020; Xia et al., 2021). Seasonal changes in rainfall rates (Singh and Qin, 2020) are reflected in fluctuations in monthly river plastic emissions in Southeast Asia (Fig. 1b; Cordova and Nurhati, 2019; Lebreton et al., 2017). Extreme precipitation events linked to climate change (Singh and Qin, 2020) will exacerbate this issue and compound the impacts (Ford et al., 2022; Roebroek et al., 2021). The continuous rise in global mean sea levels (Dangendorf et al., 2019) at a current estimated average rate of 3.1 mm per year (Cazenave et al., 2018), coupled with likely changes in the magnitude and frequency of extreme events (Easterling et al., 2000), could lead to present day plastic repositories becoming future sources of marine plastic pollution (Ford et al., 2022). Knowledge of the impact of mean sea level rise and the probability distributions of extreme weather events (likely changes in the magnitude and frequency) is crucial for understanding how extreme weather events influence source-sink dynamics when simulating the future within regional transport models (see Section 3.2.1).



### 3.3. THEME 3: biological and chemical modifications

#### 3.3.1. Question 7: what are the assemblage and ecological driving forces of plastisphere biofilms?

The composition and functional capacity of the plastisphere (the microbial community found on plastic pollution; Zettler et al., 2013) is influenced by the size and chemical composition of plastics and the surrounding environment (Tu et al., 2020). Micro- and nano-plastics are not necessarily found as independently-floating particles in the environment, but rather can agglomerate and form larger particulate material, somewhat akin marine snow (Summers et al., 2018), becoming readily available for consumption by small organisms and filter feeders (see Section 3.4.1). Microbial colonization is enabled by the initial adsorption of various organic molecules to the plastic surface, forming an ecocorona (Galloway et al., 2017; Lynch et al., 2014), which provides an additional source of carbon and energy and drives the initial attachment of microorganisms (Fig. 1f; Galloway et al., 2017; Rahman et al., 2021; Wright et al., 2020). While there have been numerous studies exploring the composition and diversity of biofilms on various types of plastics (Delacuvellerie et al., 2019; Dussud et al., 2018; McCormick et al., 2016; Miao et al., 2019; Oberbeckmann et al., 2018; Zettler et al., 2013), few studies have focused on the ecological functions of these microorganisms (Amaral-Zettler et al., 2020), and even fewer studies have been conducted in Southeast Asia. A recent study conducted in the Maludam River, Malaysia identified different gene expression profiles among communities present on microplastics from those expressed in the surrounding waters, including key genes involved in carbon, nitrogen, and sulphur cycling (Rahman et al., 2021). In addition, an increase in genes associated with metal homeostasis and the metabolism of aromatic and chlorinated compounds was observed on microplastics, suggesting potential mechanisms of detoxification or remediation within the plastisphere (Rahman et al., 2021). Similar studies within Southeast Asian marine waters are required to fully understand the functional diversity and metabolic capacity of plastisphere communities in the region, considering the spatio-temporal variation in community-assembly on plastisphere biofilms at both regional and global scales (Amaral-Zettler et al., 2020). However, whether there exists a core plastisphere that is significantly different from non-plastic biofilms remains a contentious issue (Oberbeckmann and Labrenz, 2020; Wright et al., 2020), although a recent meta-analysis suggests that this is the case (Wright et al., 2021).

#### 3.3.2. Question 8: what is the potential for marine plastic pollution to transport pollutants and create hotspots of antimicrobial resistance?

Persistent organic pollutants (POPs), heavy metals, and microorganisms all bind to marine plastic debris (Hossain et al., 2019; Li et al., 2020; F. Wang et al., 2020; S. Wang et al., 2020; T. Wang et al., 2020; see Section 3.3.1), which may accumulate and transport these pollutants (Wang et al., 2021a; T. Wang et al., 2020). As over 80 POPs have been detected in the coastal waters of Singapore (Zhang et al., 2015) and several known harmful algal bloom-forming species have been recorded in the Philippines (Onda et al., 2020), the potential sorption of co-pollutants, microorganisms, and invasive species to marine plastic pollution represents a significant threat to ecosystem health in Southeast Asia (Borja et al., 2020; Karbalaei et al., 2018; Pariatamby and Kee, 2016). The implementation of international regulations, such as the Stockholm Convention, will likely reduce the impact of POPs in signatory countries in the region, but legacy effects will continue due to their persistence in the marine environment (UNEP, 2014). In addition, this combination of microorganisms and pollutants can also cultivate the development of antibiotic resistance genes (ARGs) on marine plastic pollution (Liu et al., 2021). The co-presence of heavy metals also increases ARG expression due to the joint loci of ARGs and metal resistance genes in bacteria (Li et al., 2017; Poole, 2017; Yang et al., 2019), which allows for the enrichment of ARGs on plastic specifically (Guo et al., 2020). However, there is no evidence to support the pathogenic activity of antibiotic resistant microorganisms on marine plastic pollution (Delacuvellerie et al., 2022; Oberbeckmann et al., 2021). It has

also been argued that micro- and nanoplastics pose no more risk of harbouring potential pathogens than natural particles (Oberbeckmann and Labrenz, 2020) and that there is little to no proof of pathogenicity to humans or animals from organisms transported on plastics thus far (Jacquin et al., 2019; Lamb et al., 2018). The limited number of published studies on plastics as surfaces for developing and disseminating antimicrobial resistance, however, underpins the importance of more research into this area, particularly in Southeast Asia (reviewed by Liu et al., 2021), where high mean sea surface temperatures (28.9 °C in the coral triangle; McClanahan et al., 2020), which have been increasing at an average rate of 0.2 °C per decade (Peñaflor et al., 2009), might be altering the microbial community structure and favouring the proliferation of pathogens (le Roux et al., 2015; Tout et al., 2015).

#### 3.3.3. Question 9: what is the pattern of fragmentation and degradation of plastic pollution?

Most of the known polymer degradation in the environment follows free radical mechanisms, where polymer structure, traces of catalysts, and defects along the polymer backbone contribute significantly to accelerate degradation (Gewert et al., 2015; Muthukumar and Veerappapillai, 2015; Singh and Sharma, 2008). Biodegradation is enacted by microorganisms (Shah et al., 2008), however, abiotic environmental factors, such as ultraviolet radiation, temperature, oxygen, salinity, molecular weight distribution of polymers, and the presence of additives are known to enhance degradation (Pariatamby, 2018). Biofilm formation on the surface of plastics, often facilitated by the polar groups and surface morphology, is the first step of biodegradation, followed by enzymatic degradation of the polymers (see Section 3.3.1). Bioplastics with low molecular weight tend to be more susceptible to microbial enzymatic hydrolysis and degradation accelerates in tandem with decreasing crystallinity of the bioplastics (Adhikari et al., 2016; Tabasi and Aji, 2015). Members of the bacteria phyla Proteobacteria, Actinobacteria, Chloroflexi, and Firmicutes have regularly been linked to plastic degradation (Curren and Leong, 2019; Gong et al., 2019; Liao and Chen, 2021; Roager and Sonnenschein, 2019; R  thi et al., 2020). Although results to date are in line with global trends, studies on biodegradation of plastics by microbes remain in nascent stages and confined to particular localities across the region (e.g. Auta et al., 2017), as do studies on marine fungi or bacteria (Nurdhy, 2020; Onda et al., 2020). Despite the importance of enhancing our understanding of plastic debris fragmentation and degradation, thorough standardised testing methods have yet to be developed that allow for full elaboration of the plastic polymer environmental degradation pathways.

### 3.4. THEME 4: environmental, social, and economic impacts

#### 3.4.1. Question 10: what are the impacts of plastic pollution on marine organisms?

Plastic ingestion can cause injury and obstruction to the digestive tract of marine organisms (Roman et al., 2019). In most cases, it leads to sublethal effects, such as reduced feeding efficiency (Savinelli et al., 2020; Watts et al., 2015), plastic-induced satiety (Santos et al., 2020), and suboptimal health conditions (Ped   et al., 2016; Senko et al., 2020), the effects of which may be amplified by the ecotoxicology of ingested plastics (Anbumani and Kakkar, 2018). In Southeast Asia, plastic ingestion (ranging from macro- to microplastic) has been documented in sea turtles, whales, and sharks (Abreo et al., 2019a, 2019b, Abreo et al., 2016a, 2016b; Coram et al., 2021; Garay et al., 2019; Haetrakul et al., 2009), as well as fish (Azad et al., 2018; Karbalaei et al., 2019; Paler et al., 2021; Rochman et al., 2015), bivalves (Argamino and Janairo, 2016; Nam et al., 2019; Rochman et al., 2015; Shauib Ibrahim et al., 2016; Thushari et al., 2017b), and zooplankton (Amin et al., 2020). Publications for seabirds are lacking altogether from Southeast Asian countries, although plastic ingestion has been recorded in red-footed boobies (*Sula sula*) collected from Yongxing Island, South China Sea (Zhu et al., 2019). Plastic ingestion in zooplankton (Botterell et al., 2019), which form the base of the food chain, is concerning because of the potential trophic transfer up the food



chain (e.g. Chagnon et al., 2018; Farrell and Nelson, 2013; Furtado et al., 2016; Hammer et al., 2016), having particular implications for the degradation of species for human consumption (see Section 3.4.6). Additionally, entanglement in plastic debris is recognised as a global threat to marine species (Stelfox et al., 2016) by causing severe wounds and restricting movement and breathing (Colmenero et al., 2017; Franco-Trecu et al., 2017), with examples reported from Southeast Asia (Chim, 2014; Chim et al., 2015; Valderrama Ballesteros et al., 2018; Yeo, 2014). Life-histories, behaviours, and morphologies of species likely affect the extent and type of plastic interactions (e.g. Baak et al., 2020; Reichert et al., 2018; Suckling, 2021). As the impacts of marine plastic pollution are multi-faceted, species-specific, and spatially variable, there is a need for a greater understanding of these impacts on marine organisms in Southeast Asia, particularly those endemic to the region (Lyons et al., 2019).

### 3.4.2. Question 11: what are the impacts of plastic pollution on key marine habitats in Southeast Asia?

Macroplastics can become trapped by biological structures, such as mangrove forests, seagrass beds, and coral reefs (Fig. 1; see Section 3.2.2), while micro- and nanoplastics can eventually precipitate to the seafloor and become incorporated into sediments (Chavanich et al., 2020; Cordova et al., 2021b; Cordova and Wahyudi, 2016; Huang et al., 2021; Ivar do Sul et al., 2014; Riani and Cordova, 2021). Plastic pollution negatively impacts these marine habitats by mechanical and chemical means, and by altering microbial and macrofaunal communities and their associated traits. High macroplastic concentrations can smother and damage mangrove roots and cause leaf loss, decreasing tree survival and primary production, which in turn affect dependent aquatic ecologies, such as fish and shrimp nurseries (Luo et al., 2021; van Bijsterveldt et al., 2021). Additionally, entanglement by marine plastic waste, particularly fishing gear, can damage important habitat-forming organisms, such as coral reefs (Abu-Hilal and Al-Najjar, 2009; Chiappone et al., 2005; Gilardi et al., 2010; Valderrama Ballesteros et al., 2018). Despite mangrove forests and seagrass beds being globally essential carbon stores (Duarte et al., 2013), studies on how micro- and nanoplastics affect the biogeochemistry of their associated substrata remain small-scale and confined to specific areas of Southeast Asia (Cordova et al., 2021b; Manalu et al., 2017; Mohamed Nor and Obbard, 2014; Tahir et al., 2019). In addition, micro- and nanoplastics have been shown to alter microbial and planktonic community compositions, which may in turn influence the regulation of oceanic carbon cycles (Galgani and Loiselle, 2021; Ladewig et al., 2021; Wang et al., 2021b). Future research should build on, and expand the geographical scope of, emerging studies into the incorporation of micro- and nanoplastics into sediments and their effects on microbial communities (e.g. Putri and Patria, 2021; Sawalman et al., 2021), and thus, the permanency of carbon stores in the region (Y. Huang et al., 2021).

### 3.4.3. Question 12: what are the impacts of plastic pollution on marine ecosystem services in Southeast Asia?

The marine environment provides a wealth of ecosystem services, many of which are particularly vulnerable to the deleterious effects of plastic pollution. In Southeast Asia, such negative effects are well documented for marine ecosystems (Curren et al., 2021) and are predicted to increase (Chen et al., 2021). There is evidence that these impacts will, in turn, affect the extent of ecosystem service provision (Beaumont et al., 2019), with the potential to decrease the wellbeing of humans across the globe, owing to the loss of food security, livelihoods, income, and good health (see Section 3.4.4). For example, Southeast Asia's tuna industry, worth an estimated US\$7 billion annually (Hasnan, 2019), is severely threatened by marine plastic pollution (Warren and Steenbergen, 2021; and see Section 3.4.6). Ecotourism, which creates employment and generates products sustainably from locally important resources, is another major industry for most countries in Southeast Asia. Yet, unsustainable practices related to tourism in Southeast Asia generate significant levels of marine plastic pollution, with the ten most common types of litter collected during coastal clean-up campaigns being linked to leisure activities (SEA Circular,

2019). The consequences of plastic polluting behaviours upon such high-value ecosystem services, as well as those provided by mangrove forests, seagrass meadows, and coral reefs in Southeast Asia (see Section 3.4.2), however, remain poorly understood and should be a priority for future research.

### 3.4.4. Question 13: what are the relationships between marine plastics, livelihoods, and poverty alleviation in Southeast Asia?

The costs of marine plastic pollution in Southeast Asia are unequally distributed across countries and populations, with the livelihoods of physically proximate coastal communities particularly impacted (Beaumont et al., 2019), especially if they are reliant on marine food sources (Teh and Sumaila, 2013; see Section 3.4.3). In both urban and rural contexts, numerous single-use plastic products (e.g. food and toiletry sachets) have been designed to aid poverty alleviation, as they can help increase hygiene and access to sanitary products, as well as reduce disease. Although this generates a waste problem, it is insignificant when compared with ecological footprints of Southeast Asia's burgeoning middle classes, who possess far greater purchasing power (Marks et al., 2020). Moreover, Southeast Asia's sizeable informal waste sector fills an important gap in effective state waste management systems as waste pickers sort, clean, and recycle large volumes of plastic debris (Visvanathan and Anbumozhi, 2018). Future research is urgently needed in collective efforts to nurture more ecologically sustainable behaviours which bridge existing gaps between sectors and across socioeconomic groups.

### 3.4.5. Question 14: how is the economic cost of pollution shared between polluter and polluted countries in Southeast Asia?

Some Southeast Asian countries are simultaneously primary producers of plastic waste and heavily impacted by marine plastic pollution. In a global context, however, developed countries are the highest producers of plastic waste (Liu et al., 2018) and can afford to offshore waste while pursuing domestic policies to meet global climate commitments by greening domestic economies. Plastic waste exports from the European Union, the United States of America, and China to countries like Malaysia and Thailand for disposal (Gong and Trajano, 2019) mean that developing countries tend to bear the cumulative environmental, health, and socioeconomic burdens of ill-disposed waste. This is a complex problem for governments in developing countries because they are often the least prepared in terms of technologies and financial resources to deal with the negative externalities associated with landfill leakage into the marine environment (Bishop et al., 2020). A lack of international legislation to hold major polluters accountable perpetuates the transboundary nature of marine plastic pollution by reducing the incentive for any single country to take responsibility for these transgressive cross-border flows (Dauvergne, 2018; Raubenheimer and McIlgorm, 2017; see Section 3.5.5). For example, abandoned, lost or otherwise discarded fishing gear is particularly challenging to monitor due to the difficulties of observing fishing fleets in both time and place and assigning recovered gear to fishing vessels (Gilman, 2015) especially considering the prevalence of small-scale artisanal fisheries in the region (Teh and Pauly, 2018). Similarly, litter from merchant shipping is increasing, including operational garbage, microplastics in grey water or ballasts, and wrecks (Ryan et al., 2019; Suaria et al., 2018), which is particularly relevant given the region's high level of shipping traffic and major ports. Preventing such littering and marine dumping will be difficult as it likely occurs in the high seas, where enforcing legislation is challenging. Pursuing marine polluters, such as the fishing and transport industries, will be costly and uncertain, whilst the persistence of marine plastic in the environment means that the benefits of abatement efforts in the present extend into the future. This problem has worsened since the onset of the COVID-19 pandemic, which, in Southeast Asia, has rolled back decades of recycling gains amidst the global spike in single-use plastics, while exacerbating illicit flows of leakage from landfills into the marine environment (Miller et al., 2022). Enforceable international legislation is needed to ensure that wealthy countries contribute more meaningfully towards the costs of mitigating the socioecological impacts created by the offshoring

of domestic waste under the guise of environment sustainability (see Sections 3.1.1, 3.1.3, and 3.5.1–3.5.6).

#### 3.4.6. Question 15: what is the role of plastic debris in degrading seafood safety?

Plastic contamination of seafood, which tends to be established by investigating the plastic burden in digestive tracts of food species, has recently been identified as a major concern for global food security and human health (Danopoulos et al., 2020; Guillen et al., 2019; Mohamed Nor et al., 2021; Ragusa et al., 2021; Schwabl et al., 2019). In Southeast Asia, a high reliance on, and consumption of, seafood among dependent coastal communities could result in significant negative health consequences, such as endocrine disruption, through secondary plastic consumption (Barboza et al., 2018; Kirstein et al., 2016; Trujillo-Rodríguez et al., 2021; Wardrop et al., 2016). Micro- and nanoplastic concentrations in the digestive tract of contaminated seafood provide only limited knowledge about the possible risks to human health, especially for organisms in which the digestive tract is not consumed. However, the diverse range of human pathogens and antibiotic resistant bacteria present on marine micro- and nanoplastics, which may have the ability to enter the human food chain, are of concern (Bowley et al., 2021; Keswani et al., 2016; Moresco et al., 2021; Rodrigues et al., 2019; Yang et al., 2019; see Section 3.3.2). For example, experiments in laboratory-reared catfish *Clarias gariepinus*, which are a major food source in Southeast Asia, showed that microplastics act as efficient shuttles to concentrate and transfer trace metals to individuals that ingest them, with accumulation levels significantly differing with tissue type (Jang et al., 2022). Additionally, biodegradable polylactic acid was found to transfer higher amounts of trace metals in this species, which suggests that biodegradable polymers could pose a greater environmental threat than more common polymers, such as polyamide 12 used in this study (Jang et al., 2022). As such, investigations into the impacts of marine plastic pollution on species for human consumption and how these may be translated into associated risks to human health are critically needed.

### 3.5. THEME 5: regional policies and possible solutions

#### 3.5.1. Question 16: how can we identify effective interventions in Southeast Asia?

Any integrated waste management approach to reduce marine plastic pollution must include effective collection, processing, and treatment systems (Winterstetter et al., 2021). Many parts of Southeast Asia currently lack technological solutions which are readily available to developed countries, such as Ocean Accounting, which consolidates data on stocks, flows, and output for accountability of economic activities and waste generation (Global Ocean Accounts Partnership, 2019), and the Plastic Pollution Prevention and Collection Technology Inventory (Schmaltz et al., 2020), which tracks and accesses innovations like digital technologies (e.g. citizen science mobile applications and virtual plastic waste currencies; Winterstetter et al., 2021) and enzymatic recycling (Knott et al., 2020; Winterstetter et al., 2021). As around 55 % of Southeast Asia's population lacks regular internet access, many societies remain reliant on traditional decision-making methods (UNESCAP, 2020). Although the waste 'Interceptors' and 'River Trash Booms' deployed in Jakarta and Bali (Indonesia) and the Klang River (Malaysia) have been described as success stories by preventing several tonnes of plastic waste from entering the marine environment daily (Brooijmans et al., 2019; Cordova et al., 2021a; Cordova and Nurhati, 2019; Fauziah et al., 2021), these water bodies remain among the most heavily polluted in the region (Koagouw et al., 2021; Zaki et al., 2021). In the Mekong River, which intersects five countries in Southeast Asia, plans to install a unit of interceptors (River Cleanup, 2020) will be similarly challenged by much larger pollution problems which have drastically reduced fish stocks, displacing riverine livelihoods and communities across the region. Furthermore, the large population size, lack of waste disposal infrastructures, and low official recycling rates are all factors which have resulted in a significant amount of plastic waste entering the marine environment (Glaeser and Glaser, 2010; Shuker and Cadman, 2018). Identifying and targeting these land-based leakage points (see Section 3.1.3)

represents one of several possible interventions (see Section 3.5.4) to reduce marine plastic pollution from freshwater source points in the region.

#### 3.5.2. Question 17: how can a circular economy of plastics be developed to benefit livelihoods in coastal communities in Southeast Asia?

To be cost-effective and socially viable, interventions need to engage the full range of business, government, and societal stakeholders into coordinated activities to reduce the amount of plastic entering the marine environment and to increase public awareness and participation (see Section 3.5.3). Beyond the promise held by urban waste recycling movements across the region which have been led by eco-concerned consumers and informal waste pickers, there is still considerable room for improvement. Additionally, despite preliminary work done by Liu et al. (2009), the benefits of a circular economy of plastics, whereby plastic items are reused/repaired/recycled rather than thrown away and which can be used as an important tool for engaging with businesses and local communities to benefit livelihoods, has only entered policy circles relatively recently in Southeast Asia (Laurieri et al., 2020; Luqmani et al., 2017; Visvanathan and Anbumozhi, 2018). To implement viable solutions, the connection between local communities' behaviours, perceptions, and awareness, in addition to local government's environmental concepts, policies, and infrastructure should be improved to ensure public participation and support for plastic waste reduction (Du et al., 2018; Morren and Grinstein, 2016; Stuchtey et al., 2019). Notwithstanding, the justifiable critiques of the circular economy for failing to address the underlying problems inherent in capital-driven growth (Valenzuela and Böhm, 2017), this framework is worthy of further exploration for its incentive-based potential (Andriamahefazafy and Failler, 2021).

#### 3.5.3. Question 18: how to design effective, comprehensive awareness, education, and monitoring programmes?

Grassroots environmental groups and mass media campaigns are crucial in increasing public awareness around environmental issues (Garcia et al., 2019; One Planet, 2021), while large scale scientific reports (e.g., Jambeck et al., 2015) aid understanding around the significance and severity of marine plastic pollution in Southeast Asia. To be effective, however, national governments would first need to reduce their heavy reliance on profitable but polluting industries. Environmental accountability and transparency in policy choices could be enhanced through the generation of environmentally relevant data (Chen, 2015), which should ideally be made available on open-access databases to ensure transboundary data sharing. Establishing long-term monitoring protocols which are compatible with international regulations will be essential to best design suitable strategies to tackle the issue of marine plastic pollution (Cheshire et al., 2009; OSPAR, 2010). Coastal clean-ups provide a valuable contribution to the monitoring of marine plastic pollution (e.g., Nelms et al., 2021; van Calcar and van Emmerik, 2019), while deepening stakeholder collaboration and promoting custodianship and responsibility of care to coastal communities (Hidalgo-Rus and Thiel, 2015; Hong et al., 2014). Initiatives that target an 'all hands-on deck' approach, involving multiple stakeholders (e.g., citizen, corporations, manufacturers), at local, (sub-)national, and regional scales are arguably the most suitable mechanisms to target marine plastic pollution, but these remain largely confined to fixed-term projects in Southeast Asia (Garcia et al., 2019).

#### 3.5.4. Question 19: how effective are the major regional policy interventions to reduce plastic waste?

Recently, there has been considerable regional-scale plastic pollution policy action in Southeast Asia. For example, the Association of Southeast Asian Nations (ASEAN) Regional Action Plan for Combating Marine Debris in the ASEAN Member States (2021–2025) provides support for collaboration on 1) policy support and planning; 2) research, innovation, and capacity building; 3) public awareness, education, and outreach; and 4) private sector engagement (Lyons et al., 2020). Similarly, the Coordinating Body on the Seas of East Asia (COBSEA) strategic directions 2018–2022 (UNEP, 2020) has established a regional action



plan to tackle land-based sources of marine plastic pollution (COBSEA, 2019, 2018). Nationally, interventions in the region have focused on isolated actions, such as bans of specific plastic items (Knoblauch et al., 2018), deposit-return schemes (Wardoyo, 2018), and biodegradable packaging (e.g., Avani, 2014; Ewovare, 2017), rather than on systemic changes to reduce single-use plastics (Hermawan and Astuti, 2021; Marks et al., 2020; Maruf, 2019; Xuan Son, 2021). In a very limited way, some ASEAN countries are beginning to follow European counterparts in shifting responsibility and innovation to producers (e.g., extended producer responsibility; WWF Philippines, 2020), corporations (e.g., corporate social responsibility), and business operations (e.g., circular economy, see Section 3.5.2), with the aim of implementing regional policy interventions which reduce plastic pollution entering the marine environment (see Section 3.5.1), as shown by the recent EU-ASEAN GreenTech Dialogue and Innovation Mapping initiative (2021), currently piloted in the Philippines. National reforms to state waste management systems are also needed across the region to better deal with burgeoning domestic waste and the influx of plastic waste exports into Southeast Asia (see Section 3.5.6). Above all, however, national cultures of consumption need to be reset along more sustainable development pathways, which can only be attained through multi-sectoral and multi-scalar efforts to change existing ecological behaviours in the longer term.

### 3.5.5. Question 20: what are the geopolitical roles of countries in exporting/transporting plastic waste in Southeast Asia?

Societal resentment among ASEAN member countries, particularly after China introduced its National Sword Policy banning plastic waste imports, completing its transition from a waste importing to a waste exporting country (Marks et al., 2020), has led some governments to refuse to import plastic waste (Global Alliance for Incinerator Alternatives, 2019a). However, a significant amount of plastic waste continues to both legally and illegally enter Southeast Asian countries. For example, investigations into recycling facilities in Thailand revealed that the lack of enforceability of regulations led to large amounts of plastic being smuggled and illegally processed in the country despite national restrictions on imports of recyclable goods (Sasaki, 2021). Similarly, almost one-third of waste imported into East Java, Indonesia was labelled as scrap paper despite being illegal scrap plastic (Marks et al., 2020), suggesting that such piecemeal bans on plastic waste imports could have counterproductive effects. Several countries, including Malaysia and the Philippines, have returned mislabelled waste, restricted or re-exported imports, and announced upcoming bans and regulations (Marks, 2019). Interstate initiatives and reforms to international legal frameworks are urgently needed to help address inequalities in the distribution of plastic waste between wealthy waste exporting countries and poorer waste importing countries. As part of this, enforceable (inter)national legislation is needed to make transnational corporations compliant with the safe and sustainable export and import of recyclable plastic waste. Analysis of the transnational plastic waste chain should thus take into account postcolonial histories as well as the challenges of global capitalism (Ronda, 2018), which are crucial to understanding the high degree of inequality in geopolitical relations between plastic exporting and importing countries. Multi-national companies with operations in ASEAN countries could contribute meaningfully to the reform of country-level industry practices by undertaking waste assessments, brand audits, and transitioning to ecologically safer and affordable packaging products (Global Alliance for Incinerator Alternatives, 2019b). This, in turn, promotes their participation in extended producer responsibility, which is gaining more traction in ASEAN countries, such as in the Philippines, which proposed to include this in their new policy on single-use plastics.

### 3.5.6. Question 21: what is the political framework of marine plastic governance and how can it be improved in Southeast Asia?

Transboundary governance of marine plastic pollution in Southeast Asia is failing for several reasons. Unlike climate change, there is as yet no global plastic agreement with binding targets and timelines to guide

strong regional action (Borrelle et al., 2017). The development of international agreements has been more advanced for ocean-based than land-based sources of marine litter, which operate with relative impunity (Ferraro and Failler, 2020). Uncoordinated and fragmented national policies further undermine regional efforts (Dauvergne, 2018). In part, this political fragmentation is due to the close working relationship between state agencies and polluting fossil fuel and plastic industries which have successfully pushed back against policies to curb plastic consumption (Tabuchi et al., 2020) by emphasising the responsibility of consumers to deal with their own waste (Fuhr and Patton, 2019). Overall, governance of plastic is fragmented between sectors and spatial scales which undermines implementation at the national and subnational levels (Dauvergne, 2018; see Section 3.5.4). In March 2019, ASEAN adopted greater transboundary cooperation on marine plastic pollution, which is a critical starting point for collective action, although the Declaration now must be translated into actionable policies (ASEAN Secretariat, 2021). Such ASEAN-level commitments could open the political space and funding opportunities for innovative contributions at all scales of governance (Marks et al., 2020), as could the new United Nations Environmental Assembly resolution, adopted in March 2022 to end global plastic pollution, which is due to take legal effect by the end of 2024.

## 4. Conclusion

Although not unique to the region, the 21 priority research questions which guide and underpin this research agenda highlight the importance of better understanding the fate of marine plastic pollution, its degradation, and the impacts and risks it can generate across communities and different ecosystem services in Southeast Asia. Future research into these areas is needed to form a firm foundation for future policy development which currently suffers from transboundary problems relating to poor coordination, lack of responsibility and punitive measures for major polluters, and inaction to tackle the issue from its point source in the region. Being profoundly affected by marine plastic pollution, countries in Southeast Asia provide an opportunity to test the effectiveness of innovative and socially inclusive changes in environmental governance, as well as both high and low-tech solutions, which can offer insights and actionable models to the rest of the world.

Supplementary data to this article can be found online at <https://doi.org/10.1016/j.scitotenv.2022.156704>.

## CRediT authorship contribution statement

Lucy C.M. Omeyer – Conceptualization, methodology, data curation, investigation, writing: original draft, review, editing.

Emily M. Duncan – Conceptualization, methodology, formal analysis, investigation, writing: original draft, review, editing.

Kornraee Aiemsomboon – Investigation, writing: original draft, review, editing.

Nicola Beaumont – Investigation, writing: original draft, review, editing.

Sujaree Bureekul – Writing: original draft, review, editing.

Bin Cao – Investigation, writing: original draft, review, editing.

Luis R. Carrasco – Investigation, writing: original draft, review, editing.

Suchana Chavanich – Investigation, writing: original draft, review, editing.

James R. Clark – Investigation, writing: original draft, review, editing.

Muhammad R. Cordova – Investigation, writing: original draft, review, editing.

Fay Couceiro – Investigation, writing: original draft, review, editing.

Simon M. Cragg – Investigation, writing: original draft, review, editing.

Neil Dickson – Investigation, writing: original draft, review, editing.

Pierre Failler – Investigation, writing: original draft, review, editing.

Gianluca Ferraro – Writing: original draft, review, editing.

Stephen Fletcher – Investigation, writing: original draft, review, editing.

Jenny Fong – Investigation, writing: original draft, review, editing.

Alex T. Ford – Investigation, writing: original draft, review, editing.  
 Tony Gutierrez – Investigation, writing: original draft, review, editing.  
 Fauziah Shahul Hamid – Writing: original draft, review, editing.  
 Jan G. Hiddink – Investigation, writing: original draft, review, editing.  
 Pham T. Hoa – Investigation, writing: original draft, review, editing.  
 Sophie I. Holland – Investigation, writing: original draft, review, editing.  
 Lowenna Jones – Investigation, writing: original draft, review, editing.  
 Nia H. Jones – Investigation, writing: original draft, review, editing.  
 Heather Koldewey – Investigation, writing: original draft, review, editing.  
 Federico M. Lauro – Investigation, writing: original draft, review, editing.  
 Charlotte Lee – Investigation, writing: original draft, review, editing.  
 Matt Lewis – Investigation, writing: original draft, review, editing.  
 Danny Marks – Investigation, writing: original draft, review, editing.  
 Sabine Matallana-Surget – Investigation, writing: original draft, review, editing.  
 Claudia G. Mayorga-Adame – Investigation, writing: original draft, review, editing.  
 John McGeehan – Investigation, writing: original draft, review, editing.  
 Lauren F. Messer – Investigation, writing: original draft, review, editing.  
 Laura Michie – Investigation, writing: original draft, review, editing.  
 Michelle A. Miller – Investigation, writing: original draft, review, editing.  
 Zeeda F. Mohamad – Investigation, writing: original draft, review, editing.  
 Nur Hazimah Mohamed Nor – Writing: original draft, review, editing.  
 Moritz Müller – Investigation, writing: original draft, review, editing.  
 Simon P. Neill – Investigation, writing: original draft, review, editing.  
 Sarah E. Nelms – Investigation, writing: original draft, review, editing.  
 Deo Florence L. Onda – Investigation, writing: original draft, review, editing.  
 Joyce J.L. Ong – Investigation, writing: original draft, review, editing.  
 Agamuthu Pariatamby – Investigation, writing: original draft, review, editing.  
 Sui C. Phang – Investigation, writing: original draft, review, editing.  
 Richard Quilliam – Investigation, writing: original draft, review, editing.  
 Peter E. Robins – Investigation, writing: original draft, review, editing.  
 Maria Salta – Investigation, writing: original draft, review, editing.  
 Aida Sartimbul – Investigation, writing: original draft, review, editing.  
 Shiori Shakuto – Investigation, writing: original draft, review, editing.  
 Martin W. Skov – Investigation, writing: original draft, review, editing.  
 Evelyn B. Taboada – Investigation, writing: original draft, review, editing.  
 Peter A. Todd – Investigation, writing: original draft, review, editing.  
 Tai Chong Toh – Investigation, writing: original draft, review, editing.  
 Suresh Valiyaveetil – Investigation, writing: original draft, review, editing.  
 Voranop Viyakarn – Investigation, writing: original draft, review, editing.  
 Passorn Wonnapijij – Investigation, writing: original draft, review, editing.  
 Louisa E. Wood – Writing: original draft, review, editing.  
 Clara L.X. Yong – Investigation, writing: original draft, review, editing.  
 Brendan J. Godley – Conceptualization, methodology, investigation, writing: original draft, review, editing.

#### Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

#### Acknowledgements

We thank the editor and the three anonymous reviewers, whose comments greatly improved this article. This study was supported by the National Research Foundation, Prime Minister's Office (Singapore) and

the Natural Environment Research Council (United Kingdom) under the NRF-NERC-SEAP-2020 grant call 'Understanding the Impact of Plastic Pollution on Marine Ecosystems in Southeast Asia (South East Asia Plastics [SEAP])'. The four funded projects are Risks and Solutions: Marine Plastics in Southeast Asia – RaSP-SEA (NRF Award No. NRF-NERC-SEAP-2020-0004, NERC Award No. NE/V009354/1 and NE/V009362/1); Southeast Asia Marine Plastics (SEAmap; NERC Award No. NE/V009427/1); Reduction, Control, and Mitigation of Marine Plastic Pollution in the Philippines; Microbial transformation of plastics in Southeast Asian seas: a hazard and a solution (MicroSEAP; NRF Award No. NRF-NERC-SEAP-2020-0002, NERC Award No. NE/V009516/1); and Sources, impacts and solutions for plastics in Southeast Asia coastal environment (NRF Award No. NRF-NERC-SEAP-2020-0003, NERC Award No. NE/V009621/1).

#### References

- Abalansa, S., el Mahrad, B., Vondolia, G.K., Icely, J., Newton, A., 2020. The marine plastic litter issue: a social-economic analysis. *Sustainability* 12, 1–27. <https://doi.org/10.3390/su12208677>.
- Abreo, N.A.S., Blatchley, D., Superio, M.D., 2019a. Stranded whale shark (*Rhincodon typus*) reveals vulnerability of filter-feeding elasmobranchs to marine litter in the Philippines. *Mar. Pollut. Bull.* 141, 79–83. <https://doi.org/10.1016/j.marpolbul.2019.02.030>.
- Abreo, N.A.S., Macusi, E.D., Blatchley, D.D., 2016. Ingestion of marine plastic debris by green turtle (*Chelonia mydas*) in Davao Gulf, Mindanao, Philippines. *Philipp. J. Sci.* 145, 17–23.
- Abreo, N.A.S., Macusi, E.D., Blatchley, D.D., Cuenca-Ocay, G., 2016b. First evidence of plastic ingestion by the rare Deraniyagala's beaked whale (*Mesoplodon hotaula*). *IAMURE Int. J. Ecol. Conserv.* 19, 16–36.
- Abreo, N.A.S., Thompson, K.F., Arabejo, G.F.P., Superio, M.D.A., 2019b. Social media as a novel source of data on the impact of marine litter on megafauna: the Philippines as a case study. *Mar. Pollut. Bull.* 140, 51–59. <https://doi.org/10.1016/j.marpolbul.2019.01.030>.
- Abu-Hilal, A., Al-Najjar, T., 2009. Marine litter in coral reef areas along the Jordan Gulf of Aqaba, Red Sea. *J. Environ. Manag.* 90, 1043–1049. <https://doi.org/10.1016/j.jenvman.2008.03.014>.
- Adhikari, D., Mukai, M., Kubota, K., Kai, T., Kaneko, N., Araki, K.S., Kubo, M., 2016. Degradation of bioplastics in soil and their degradation effects on environmental microorganisms. *J. Agric. Chem. Environ.* 05, 23–34. <https://doi.org/10.4236/jacen.2016.51003>.
- Amaral-Zettler, L.A., Zettler, E.R., Mincer, T.J., 2020. Ecology of the plastisphere. *Nat. Rev. Microbiol.* 18, 139–151. <https://doi.org/10.1038/s41579-019-0308-0>.
- Amin, R.M., Sohaimi, E.S., Anuar, S.T., Bachok, Z., 2020. Microplastic ingestion by zooplankton in Terengganu coastal waters, southern South China Sea. *Mar. Pollut. Bull.* 150, 110616. <https://doi.org/10.1016/j.marpolbul.2019.110616>.
- Anbumani, S., Kakkur, P., 2018. Ecotoxicological effects of microplastics on biota: a review. *Environ. Sci. Pollut. Res.* 25, 14373–14396. <https://doi.org/10.1007/s11356-018-1999-x>.
- Andriamahefazafy, A., Failler, P., 2021. Towards a circular economy for African Islands: an analysis of existing baselines and strategies. *Circ. Econ. Sustain.* 1, 1–10. <https://doi.org/10.1007/s43615-021-00059-4>.
- Argamino, C.R., Janairo, J.I.B., 2016. Qualitative assessment and management of microplastics in Asian green mussels (*Perna viridis*) cultured in Bacoor Bay, Cavite, Philippines. *EnvironmentAsia* 9, 48–54. <https://doi.org/10.14456/ea.2016.7>.
- ASEAN Secretariat, 2021. ASEAN Regional Action Plan for Combating Marine Debris in the ASEAN Member States. ASEAN Secretariat, Jakarta.
- Aut, H.S., Emenike, C.U., Fauziah, S.H., 2017. Screening of bacillus strains isolated from mangrove ecosystems in peninsular Malaysia for microplastic degradation. *Environ. Pollut.* 231, 1552–1559. <https://doi.org/10.1016/j.envpol.2017.09.043>.
- Avani, 2014. Replacing plastic with bio-based solutions [WWW Document]. <https://www.avanime.co>.
- Azad, S.M.O., Towatana, P., Pradit, S., Patricia, B.G., Hue, H.T., 2018. Ingestion of microplastics by some commercial fishes in the lower gulf of Thailand: a preliminary approach to ocean conservation. *Int. J. Agric. Technol.* 14, 1017–1032.
- Baak, J.E., Provencher, J.F., Mallory, M.L., 2020. Plastic ingestion by four seabird species in the Canadian Arctic: comparisons across species and time. *Mar. Pollut. Bull.* 158, 111386. <https://doi.org/10.1016/j.marpolbul.2020.111386>.
- Barboza, L.G.A., Dick Vethaak, A., Lavorante, B.R.B.O., Lundebye, A.K., Guilhermino, L., 2018. Marine microplastic debris: an emerging issue for food security, food safety and human health. *Mar. Pollut. Bull.* 133, 336–348. <https://doi.org/10.1016/j.marpolbul.2018.05.047>.
- Beaumont, N.J., Aanesen, M., Austen, M.C., Börger, T., Clark, J.R., Cole, M., Hooper, T., Lindeque, P.K., Pascoe, C., Wyles, K.J., 2019. Global ecological, social and economic impacts of marine plastic. *Mar. Pollut. Bull.* 142, 189–195. <https://doi.org/10.1016/j.marpolbul.2019.03.022>.
- Biermann, L., Clewley, D., Martinez-Vicente, V., Topouzelis, K., 2020. Finding plastic patches in coastal waters using optical satellite data. *Sci. Rep.* 10, 1–10. <https://doi.org/10.1038/s41598-020-62298-z>.
- Bishop, G., Styles, D., Lens, P.N.L., 2020. Recycling of European plastic is a pathway for plastic debris in the ocean. *Environ. Int.* 142, 105893. <https://doi.org/10.1016/j.envint.2020.105893>.
- Borja, A., White, M.P., Berdalet, E., Bock, N., Eatock, C., Kristensen, P., Leonard, A., Lloret, J., Pahl, S., Parga, M., Prieto, J.V., Wujijs, S., Fleming, L.E., 2020. Moving toward an agenda on ocean health and human health in Europe. *Front. Mar. Sci.* 7, 1–19. <https://doi.org/10.3389/fmars.2020.00037>.



- Borrelle, S.B., Rochman, C.M., Liboiron, M., Bond, A.L., Lusher, A., Bradshaw, H., Provencher, J.F., 2017. Why we need an international agreement on marine plastic pollution. *Proc. Natl. Acad. Sci. U. S. A.* 114, 9994–9997. <https://doi.org/10.1073/pnas.1714450114>.
- Botterell, Z.L.R., Beaumont, N., Dorrington, T., Steinke, M., Thompson, R.C., Lindeque, P.K., 2019. Bioavailability and effects of microplastics on marine zooplankton: a review. *Environ. Pollut.* 245, 98–110. <https://doi.org/10.1016/j.envpol.2018.10.065>.
- Bowley, J., Baker-Austin, C., Porter, A., Hartnell, R., Lewis, C., 2021. Oceanic hitchhikers – assessing pathogen risks from marine microplastic. *Trends Microbiol.* 29, 107–116. <https://doi.org/10.1016/j.tim.2020.06.011>.
- Brahmasrene, T., Lee, J.W., 2017. Assessing the dynamic impact of tourism, industrialization, urbanization, and globalization on growth and environment in Southeast Asia. *Int. J. Sust. Dev. World* 24, 362–371. <https://doi.org/10.1080/13504509.2016.1238021>.
- Braun, V., Clarke, V., 2006. Qualitative research in psychology using thematic analysis in psychology using thematic analysis in psychology. *Qual. Res. Psychol.* 3, 77–101.
- Briggs, J.C., 1999. Coincident biogeographic patterns: Indo-West Pacific Ocean. *Evolution (N Y)* 53, 326–335. <https://doi.org/10.2307/2640770>.
- Brooijmans, S., Franken, M., de Jongh, Z., de Jong, W., van Marsbergen, A., 2019. Plastic Discharge in Bali's Rivers: Research Into Bali's Plastic Polluted Rivers and Designs of Suitable Collection Structures for Rivers to Mitigate the Plastic Discharge into the Ocean.
- Burke, L., Selig, E., Spalding, M., 2002. Reefs at Risk in Southeast Asia. World Resource Institute, Washington (USA).
- Cazenave, A., Meyssignac, B., Ablain, M., Balmaseda, M., Bamber, J., Barletta, V., Beckley, B., Benveniste, J., Berthier, E., Blazquez, A., Boyer, T., Caceres, D., Chambers, D., Champollion, N., Chao, B., Chen, J., Cheng, L., Church, J.A., Chuter, S., Cogley, J.G., Dangendorf, S., Desbryères, D., Döll, P., Domingues, C., Falk, U., Famiglietti, J., Fenoglio-Marc, L., Forsberg, R., Galassi, G., Gardner, A., Groh, A., Hamlington, B., Hogg, A., Horwath, M., Humphrey, V., Husson, L., Ishii, M., Jaeggi, A., Jevrejeva, S., Johnson, G., Kolodziejczyk, N., Kusche, J., Lambeck, K., Landerer, F., Leclercq, P., Legresy, B., Leuliette, E., Llovel, W., Longuevergne, L., Loomis, B.D., Luthcke, S.B., Marcos, M., Marzeion, B., Merchant, C., Merrifield, M., Milne, G., Mitchum, G., Mohajerani, Y., Monier, M., Monselesan, D., Nerem, S., Palanisamy, H., Paul, F., Perez, B., Picuch, C.G., Ponte, R.M., Purkey, S.G., Reager, J.T., Rietbroek, R., Rigot, E., Riva, R., Roemmich, D.H., Sorensen, L.S., Sasgen, I., Schrama, E.J.O., Senviratne, S.I., Shum, C.K., Spada, G., Stammer, D., van de Wal, R., Velicogna, I., von Schuckmann, K., Wada, Y., Wang, Y., Watson, C., Wiese, D., Wijffels, S., Westaway, R., Woppelmann, G., Wouters, B., 2018. Global sea-level budget 1993-present. *Earth Syst. Sci. Data* 10, 1551–1590. <https://doi.org/10.5194/essd-10-1551-2018>.
- Chaerul, M., Fahrurroji, A.R., Fujiwara, T., 2014. Recycling of plastic packaging waste in Bandung City, Indonesia. *J. Mater. Cycl. Waste Manag.* 16, 509–518. <https://doi.org/10.1007/s10163-013-0201-2>.
- Chagnon, C., Thiel, M., Antunes, J., Ferreira, J.L., Sobral, P., Ory, N.C., 2018. Plastic ingestion and trophic transfer between Easter Island flying fish (*Cheilopogon rapanouiensis*) and yellowfin tuna (*Thunnus albacares*) from Rapa Nui (Easter Island). *Environ. Pollut.* 243, 127–133. <https://doi.org/10.1016/j.envpol.2018.08.042>.
- Chavanich, S., Viyakarn, V., Khokiatitwong, S., Zhu, W., 2020. Particulate-plastics distribution and ecotoxicity in marine ecosystems and a case study in Thailand. In: Bolan, N.S., Kirkham, M.B., Halsband, C., Nugegoda, D., Ok, Y.S. (Eds.), *Particulate Plastics: Sources and Ecotoxicity in Terrestrial and Aquatic Environments*. CRC Press, Boca Raton (Florida, USA), pp. 357–364.
- Chen, C., 2015. Regulation and management of marine litter. In: Bergmann, M., Gutow, L., Klages, M. (Eds.), *Marine Anthropogenic Litter*. Springer, New York (USA), pp. 395–428.
- Chen, H.L., Selvam, S.B., Ting, K.N., Gibbins, C.N., 2021. Microplastic pollution in freshwater systems in Southeast Asia: contamination levels, sources, and ecological impacts. *Environ. Sci. Pollut. Res.* 28, 54222–54237. <https://doi.org/10.1007/s11356-021-15826-x>.
- Cheshire, A., Adler, E., Barbière, J., Cohen, Y., Evans, S., Jarayabhand, S., Jefic, L., Jung, R., Kinsey, S., Kusui, E., Lavine, I., Manyara, P., Oosterbaan, L., Pereira, M., Sheavly, S., Tkalin, A., Varadarajan, S., Wenneker, B., Westphalen, G., 2009. UNEP/IOC Guidelines on Survey and Monitoring of Marine Litter.
- Chiappone, M., Dienes, H., Swanson, D.W., Miller, S.L., 2005. Impacts of lost fishing gear on coral reef sessile invertebrates in the Florida keys National Marine Sanctuary. *Biol. Conserv.* 121, 221–230. <https://doi.org/10.1016/j.biocon.2004.04.023>.
- Chim, C.K., 2014. Blackspot shark at eastern Johor Straits. *Singapore Biodiversity Records* 2014, 47.
- Chim, C.K., Lee, Y.-L., Tong, S., Tay, T., Ong, R., 2015. Blacktip reef sharks caught in trammel nets at Lazarus Island. *Singapore Biodiversity Records*, 2015, pp. 158–159.
- COBSEA, 2019. Regional Action Plan on Marine Litter 2019. Secretariat of the Coordinating Body on the Seas of East Asia (COBSEA) and United Nations Environment Programme, Bangkok. [WWW Document].
- COBSEA, 2018. COBSEA Strategic Directions 2018-2022. Secretariat of the Coordinating Body on the Seas of East Asia (COBSEA) and United Nations Environment Programme, Bangkok [WWW Document].
- Cole, M., Lindeque, P., Fileman, E., Halsband, C., Goodhead, R., Moger, J., Galloway, T.S., 2013. Microplastic ingestion by zooplankton. *Environ. Sci. Technol.* 47, 6646–6655. <https://doi.org/10.1021/es400663f>.
- Cole, M., Lindeque, P.K., Fileman, E., Clark, J., Lewis, C., Halsband, C., Galloway, T.S., 2016. Microplastics alter the properties and sinking rates of zooplankton faecal pellets. *Environ. Sci. Technol.* 50, 3239–3246. <https://doi.org/10.1021/acs.est.5b05905>.
- Colmenero, A.I., Barriá, C., Broglio, E., García-Barcelona, S., 2017. Plastic debris straps on threatened blue shark *Prionace glauca*. *Mar. Pollut. Bull.* 115, 436–438. <https://doi.org/10.1016/j.marpolbul.2017.01.011>.
- Coram, A., Abreo, N.A.S., Ellis, R.P., Thompson, K.F., 2021. Contribution of social media to cetacean research in Southeast Asia: illuminating populations vulnerable to litter. *Biodivers. Conserv.* 30, 2341–2359. <https://doi.org/10.1007/s10531-021-02196-6>.
- Cordova, M.R., Nurhati, I.S., 2019. Major sources and monthly variations in the release of land-derived marine debris from the greater Jakarta area, Indonesia. *Sci. Rep.* 9, 1–8. <https://doi.org/10.1038/s41598-019-55065-2>.
- Cordova, M.R., Nurhati, I.S., Riani, E., Nurhasanah, Iswari, M.Y., 2021a. Unprecedented plastic-made personal protective equipment (PPE) debris in river outlets into Jakarta Bay during COVID-19 pandemic. *Chemosphere* 268, 129360. <https://doi.org/10.1016/j.chemosphere.2020.129360>.
- Cordova, M.R., Purwiyanto, A.I.S., Suteja, Y., 2019. Abundance and characteristics of microplastics in the northern coastal waters of Surabaya, Indonesia. *Mar. Pollut. Bull.* 142, 183–188. <https://doi.org/10.1016/j.marpolbul.2019.03.040>.
- Cordova, M.R., Ulumuddin, Y.I., Purbonegoro, T., Shiimoto, A., 2021b. Characterization of microplastics in mangrove sediment of Muara Angke Wildlife Reserve, Indonesia. *Mar. Pollut. Bull.* 163, 112012. <https://doi.org/10.1016/j.marpolbul.2021.112012>.
- Cordova, M.R., Wahyudi, A.J., 2016. Microplastic in the deep-sea sediment of Southwestern Sumatran waters. *Mar. Res. Indones.* 41, 27–35. <https://doi.org/10.14203/mri.v41i1.99>.
- Cozzolino, L., Nicastro, K.R., Zardi, G.I., de los Santos, C.B., 2020. Species-specific plastic accumulation in the sediment and canopy of coastal vegetated habitats. *Science of the Total Environment* 723, 138018. <https://doi.org/10.1016/j.scitotenv.2020.138018>.
- Curren, E., Kuwahara, V.S., Yoshida, T., Leong, S.C.Y., 2021. Marine microplastics in the ASEAN region: a review of the current state of knowledge. *Environ. Pollut.* 288, 117776. <https://doi.org/10.1016/j.envpol.2021.117776>.
- Curren, E., Leong, S.C.Y., 2019. Profiles of bacterial assemblages from microplastics of tropical coastal environments. *Sci. Total Environ.* 655, 313–320. <https://doi.org/10.1016/j.scitotenv.2018.11.250>.
- Dangendorf, S., Hay, C., Calafat, F.M., Marcos, M., Picuch, C.G., Berk, K., Jensen, J., 2019. Persistent acceleration in global sea-level rise since the 1960s. *Nat. Clim. Chang.* 9, 705–710. <https://doi.org/10.1038/s41558-019-0531-8>.
- Danopoulos, E., Jenner, L.C., Twiddy, M., Rotchell, J.M., 2020. Microplastic contamination of seafood intended for human consumption: a systematic review and meta-analysis. *Environmental Health Perspectives* 128. <https://doi.org/10.1289/EHP7171.126002-1-126002-32>.
- Dauvergne, P., 2018. Why is the global governance of plastic failing the oceans? *Glob. Environ. Chang.* 51, 22–31. <https://doi.org/10.1016/j.gloenvcha.2018.05.002>.
- de los Santos, C.B., Krång, A.S., Infantes, E., 2021. Microplastic retention by marine vegetated canopies: simulations with seagrass meadows in a hydraulic flume. *Environmental Pollution* 269, 116050. <https://doi.org/10.1016/j.envpol.2020.116050>.
- de Smit, J.C., Anton, A., Martin, C., Rossbach, S., Bouma, T.J., Duarte, C.M., 2021. Habitat-forming species trap microplastics into coastal sediment sinks. *Sci. Total Environ.* 772, 145520. <https://doi.org/10.1016/j.scitotenv.2021.145520>.
- Delacuvellerie, A., Cyriaque, V., Gobert, S., Benali, S., Wattiez, R., 2019. The plastisphere in marine ecosystem hosts potential specific microbial degraders including alcanivorax borkumensis as a key player for the low-density polyethylene degradation. *J. Hazard. Mater.* 380, 120899. <https://doi.org/10.1016/j.jhazmat.2019.120899>.
- Delacuvellerie, A., Geron, A., Gobert, S., Wattiez, R., 2022. New insights into the functioning and structure of the PE and PP plastispheres from the Mediterranean Sea. *Environ. Pollut.* 295. <https://doi.org/10.1016/j.envpol.2021.118678>.
- Du, Y., Wang, X., Brombal, D., Moriggi, A., Sharpley, A., Pang, S., 2018. Changes in environmental awareness and its connection to local environmental management in water conservation zones: The case of Beijing, China. *Sustainability* 10, 2087. <https://doi.org/10.3390/su10062087>.
- Duarte, C.M., Losada, I.J., Hendriks, I.E., Mazarrasa, I., Marbà, N., 2013. The role of coastal plant communities for climate change mitigation and adaptation. *Nat. Clim. Chang.* 3, 961–968. <https://doi.org/10.1038/nclimate1970>.
- Duncan, E.M., Arrowsmith, J., Bain, C., Broderick, A.C., Lee, J., Metcalfe, K., Pikesley, S.K., Snape, R.T.E., van Sebille, E., Godley, B.J., 2018. The true depth of the Mediterranean plastic problem: extreme microplastic pollution on marine turtle nesting beaches in Cyprus. *Mar. Pollut. Bull.* 136, 334–340. <https://doi.org/10.1016/j.marpolbul.2018.09.019>.
- Dussud, C., Meistertzheim, A.L., Conan, P., Pujo-Pay, M., George, M., Fabre, P., Coudane, J., Higgs, P., Elineau, A., Pedrotti, M.L., Gorsky, G., Ghiglione, J.F., 2018. Evidence of niche partitioning among bacteria living on plastics, organic particles and surrounding seawaters. *Environ. Pollut.* 236, 807–816. <https://doi.org/10.1016/j.envpol.2017.12.027>.
- Easterling, D.R., Meehl, G.A., Parmesan, C., Changnon, S.A., Karl, T.R., Mearns, L.O., 2000. Climate extremes: observations, modeling, and impacts. *Science* 289(289), 2068–2075. <https://doi.org/10.1126/science.289.5487.2068>.
- Elo, S., Kyngäs, H., 2008. The qualitative content analysis process. *J. Adv. Nurs.* 62, 107–115. <https://doi.org/10.1111/j.1365-2648.2007.04569.x>.
- EU-ASEAN GreenTech Dialogue and Innovation Mapping, 2021. Pilot 1 on plastic wastes management [WWW Document]. [www.greentechtransfers.eu](http://www.greentechtransfers.eu).
- Ewovare, 2017. Creating Innovative Solutions for the Future [WWW Document]. Rethink Plastic.
- Farrell, N., Nelson, K., 2013. Trophic level transfer of microplastic: *Mytilus edulis* (L.) to *Carcinus maenas* (L.). *Environ. Pollut.* 177, 1–3. <https://doi.org/10.1016/j.envpol.2013.01.046>.
- Fauziah, S.H., Rizman-Idid, M., Cheah, W., Loh, K.H., Sharma, S., Noor, N.M., Bordt, M., Praphotjanaporn, T., Samah, A.A., Sabaruddin, J.S.bin, George, M., 2021. Marine debris in Malaysia: a review on the pollution intensity and mitigating measures. *Mar. Pollut. Bull.* 167, 112258. <https://doi.org/10.1016/j.marpolbul.2021.112258>.
- Ferraro, G., Failler, P., 2020. Governing plastic pollution in the oceans: institutional challenges and areas for action. *Environ. Sci. Policy* 112, 453–460. <https://doi.org/10.1016/j.envsci.2020.06.015>.
- Fonseca, M.S., Fourqurean, J.W., Koehl, M.A.R., 2019. Effect of seagrass on current speed: importance of flexibility vs. shoot density. *Front. Mar. Sci.* 6, 1–13. <https://doi.org/10.3389/fmars.2019.00376>.
- Ford, H.V., Jones, N.H., Davies, A.J., Godley, B.J., Jambeck, J.R., Napper, I.E., Suckling, C.C., Williams, G.J., Woodall, L.C., Koldey, H.J., 2022. The fundamental links between climate change and marine plastic pollution. *Sci. Total Environ.* 806, 150392. <https://doi.org/10.1016/j.scitotenv.2021.150392>.
- Franco-Trecu, V., Drago, M., Katz, H., Machin, E., Marin, Y., 2017. With the noose around the neck: marine debris entangling otariid species. *Environ. Pollut.* 220, 985–989. <https://doi.org/10.1016/j.envpol.2016.11.057>.

- Fuhr, L., Patton, J., 2019. Plastic production is the problem, and not plastic waste [WWW Document]. Irish Examiner. <https://www.irishexaminer.com/breakingnews/views/analysis/plastic-production-is-the-problem-and-not-plastic-waste-910047.html>.
- Furtado, R., Menezes, D., Santos, C.J., Catry, P., 2016. White-faced storm-petrels *Pelagodroma marina* predated by gulls as biological monitors of plastic pollution in the pelagic subtropical Northeast Atlantic. *Mar. Pollut. Bull.* 112, 117–122. <https://doi.org/10.1016/j.marpolbul.2016.08.031>.
- GALA, 2019. Plastic exposed: how waste assessment and brand audits are helping Philippine cities fight plastic pollution [WWW Document]. <https://www.no-burn.org/plastics-exposed-how-waste-assessments-and-brand-audits-are-helping-philippine-cities-fight-plastic-pollution/>.
- Galgani, L., Loiseau, S.A., 2021. Plastic pollution impacts on marine carbon biogeochemistry. *Environ. Pollut.* 268, 115598. <https://doi.org/10.1016/j.envpol.2020.115598>.
- Galloway, T.S., Cole, M., Lewis, C., 2017. Interactions of microplastic debris throughout the marine ecosystem. *Nat. Ecol. Evol.* 1, 1–8. <https://doi.org/10.1038/s41559-017-0116>.
- Garay, J.B., Santa Cruz, E.T., Jimenez, L.A., Torres, D.S., 2019. Fatal plastic ingestion by a green turtle (*Chelonia mydas*) in San Isidro, Davao Gulf, Philippines. *Mar. Turt. Newsl.* 157, 13–15.
- Garcia, B., Fang, M.M., Lin, J., 2019. Marine plastic pollution in Asia: all hands on Deck! *Chin. J. Environ. Law* 3, 11–46. <https://doi.org/10.1163/24686042-12340034>.
- Gewert, B., Plassmann, M.M., Macleod, M., 2015. Pathways for degradation of plastic polymers floating in the marine environment. *Environ. Sci. Process. Impacts* 17, 1513–1521. <https://doi.org/10.1039/c5em00207a>.
- Geyer, R., Jambeck, J.R., Law, K.L., 2017. Production, use, and fate of all plastics ever made. *Sci. Adv.* 3, 25–29. <https://doi.org/10.1126/sciadv.1700782>.
- Gilardi, K.V.K., Carlson-Bremer, D., June, J.A., Antonelis, K., Broadhurst, G., Cowan, T., 2010. Marine species mortality in derelict fishing nets in Puget Sound, WA and the cost/benefits of derelict net removal. *Mar. Pollut. Bull.* 60, 376–382. <https://doi.org/10.1016/j.marpolbul.2009.10.016>.
- Gilman, E., 2015. Status of international monitoring and management of abandoned, lost and discarded fishing gear and ghost fishing. *Mar. Policy* 60, 225–239. <https://doi.org/10.1016/j.marpol.2015.06.016>.
- GIZ, 2018. *Managing Packaging Waste in the ASEAN Region: From Linear to Circular Packaging Value Chains*.
- Glaeser, B., Glaser, M., 2010. Global change and coastal threats: the Indonesian case. An attempt in multi-level social-ecological research. *Hum. Ecol. Rev.* 17, 135–147.
- Global Alliance for Incinerator Alternatives, 2019. *Communities on the Frontlines*.
- Global Alliance for Incinerator Alternatives, 2019. *Plastics Exposed: How Waste Assessments and Brand Audits Are Helping Philippine Cities in Fighting Plastic Pollution*.
- Global Ocean Accounts Partnership, 2019. *Technical guidance on ocean accounting for sustainable development* [WWW Document]. <https://www.oceanaccounts.org/technical-guidance-on-ocean-accounting-2/>.
- Gong, L., Trajano, C., 2019. Tackling East Asia's New Environmental Challenge: Marine Plastic Pollution.
- Gong, M., Yang, G., Zhuang, L., Zeng, E.Y., 2019. Microbial biofilm formation and community structure on low-density polyethylene microparticles in lake water microcosms. *Environ. Pollut.* 252, 94–102. <https://doi.org/10.1016/j.envpol.2019.05.090>.
- Gordon, A.L., Fine, R.A., 1996. Pathways of water between the Pacific and Indian oceans in the Indonesian seas. *Nature* 379, 146–149.
- Goss, H., Jaskiel, J., Rotjan, R., 2018. *Thalassia testudinum* as a potential vector for incorporating microplastics into benthic marine food webs. *Mar. Pollut. Bull.* 135, 1085–1089. <https://doi.org/10.1016/j.marpolbul.2018.08.024>.
- Guillen, J., Natale, F., Carvalho, N., Casey, J., Hofherr, J., Druon, J.N., Fiore, G., Gibin, M., Zanzi, A., Martinsohn, J.T., 2019. Global seafood consumption footprint. *Ambio* 48, 111–122. <https://doi.org/10.1007/s13280-018-1060-9>.
- Guo, Pan, X., Sun, Li, X., Chen, Ru, Y., Hou, L., Liu, M., Yang, Y., 2020. Antibiotic resistance genes in biofilms on plastic wastes in an estuarine environment. *Sci. Total Environment* 745, 140916. <https://doi.org/10.1016/j.scitotenv.2020.140916>.
- Haetrakul, T., Munanansup, S., Assawawongkasem, N., Chansue, N., 2009. A case report: stomach foreign object in whaleshark (*Rhincodon typus*) stranded in Thailand. *Proceedings of the 4th International Symposium on SEASTAR 2000 and Asian Bio-logging Science (The 8th SEASTAR 2000 Workshop)*, pp. 83–85.
- Hammer, S., Nager, R.G., Johnson, P.C.D., Furness, R.W., Provencher, J.F., 2016. Plastic debris in great skua (*Stercorarius skua*) pellets corresponds to seabird prey species. *Mar. Pollut. Bull.* 103, 206–210. <https://doi.org/10.1016/j.marpolbul.2015.12.018>.
- Harris, P.T., Westerveld, L., Nyberg, B., Maes, T., Macmillan-Lawler, M., Appelquist, L.R., 2021. Exposure of coastal environments to river-sourced plastic pollution. *Sci. Total Environ.* 769, 145222. <https://doi.org/10.1016/j.scitotenv.2021.145222>.
- Hasnan, L., 2019. Southeast Asia's lucrative tuna industry [WWW Document]. The ASEAN Post. <https://theaseanpost.com/article/southeast-asias-lucrative-tuna-industry>.
- Hermawan, S., Astuti, W., 2021. Analysing several ASEAN countries' policy for combating marine plastic litter. *Environ. Law Rev.* 23, 9–22. <https://doi.org/10.1177/1461452921991731>.
- Hidalgo-Rus, V., Thiel, M., 2015. The contribution of citizen scientists to the monitoring of marine litter. In: Bergmann, M., Gutow, L., Klages, M. (Eds.), *Marine Anthropogenic Litter*. Springer, New York (USA), pp. 430–447.
- Hidalgo-Ruz, V., Gutow, L., Thompson, R.C., Thiel, M., 2012. Microplastics in the marine environment: a review of the methods used for identification and quantification. *Environ. Sci. Technol.* 46, 3060–3075. <https://doi.org/10.1021/es2031505>.
- Hong, S., Lee, J., Choi, H., Ko, S., 2014. Quantities, composition, and sources of beach debris in Korea from the results of nationwide monitoring. *Mar. Pollut. Bull.* 84, 27–34. <https://doi.org/10.1016/j.marpolbul.2014.05.051>.
- Hossain, M.R., Jiang, M., Wei, Q.H., Leff, L.G., 2019. Microplastic surface properties affect bacterial colonization in freshwater. *J. Basic Microbiol.* 59, 54–61. <https://doi.org/10.1002/jobm.201800174>.
- Huang, Y., Xiao, X., Effiong, K., Xu, C., Su, Z., Hu, J., Jiao, S., Holmer, M., 2021. New insights into the microplastic enrichment in the blue carbon ecosystem: evidence from seagrass meadows and mangrove forests in coastal South China Sea. *Environ. Sci. Technol.* 55, 4804–4812. <https://doi.org/10.1021/acs.est.0c07289>.
- Huang, Y., Xiao, X., Xu, C., Perianen, Y.D., Hu, J., Holmer, M., 2020. Seagrass beds acting as a trap of microplastics - emerging hotspot in the coastal region? *Environ. Pollut.* 257, 113450. <https://doi.org/10.1016/j.envpol.2019.113450>.
- Iskandar, M.R., Surinati, D., Cordova, M.R., Siong, K., 2021. Pathways of floating marine debris in Jakarta Bay, Indonesia. *Marine Pollution Bulletin* 169, 112511. <https://doi.org/10.1016/j.marpolbul.2021.112511>.
- Isobe, A., Buenaventura, N.T., Chastain, S., Chavanich, S., Cózar, A., DeLorenzo, M., Hagmann, P., Hinata, H., Kozlovskii, N., Lusher, A.L., Martí, E., Michida, Y., Mu, J., Ohno, M., Potter, G., Ross, P.S., Sagawa, N., Shim, W.J., Song, Y.K., Takada, H., Tokai, T., Torii, T., Uchida, K., Vassilenko, K., Viyakarn, V., Zhang, W., 2019. An interlaboratory comparison exercise for the determination of microplastics in standard sample bottles. *Mar. Pollut. Bull.* 146, 831–837. <https://doi.org/10.1016/j.marpolbul.2019.07.033>.
- Ivar do Sul, J.A., Costa, M.F., Silva-Cavalcanti, J.S., Araújo, M.C.B., 2014. Plastic debris retention and exportation by a mangrove forest patch. *Mar. Pollut. Bull.* 78, 252–257. <https://doi.org/10.1016/j.marpolbul.2013.11.011>.
- Jacquin, J., Cheng, J., Odobel, C., Pandin, C., Conan, P., Pujo-Pay, M., Barbe, V., Meistertzheim, A.L., Ghiglione, J.F., 2019. Microbial ecotoxicology of marine plastic debris: a review on colonization and biodegradation by the “plastisphere”. *Front. Microbiol.* 10, 1–16. <https://doi.org/10.3389/fmicb.2019.00865>.
- Jambeck, J., Geyer, R., Wilcox, C., Siegler, T.R., Perryman, M., Andrady, A., Narayan, R., Law, K.L., 2015. Plastic waste inputs from land into the ocean. *Science* 347(6212), 768–771. <https://doi.org/10.1126/science.1260352>.
- Jang, F.H., Wong, C., Choo, J., Aun Sia, E.S., Mujahid, A., Müller, M., 2022. Increased transfer of trace metals and vibrio sp. From biodegradable microplastics to catfish *Clarias gariepinus*. *Environ. Pollut.* 298, 118850. <https://doi.org/10.1016/j.envpol.2022.118850>.
- Jayasiri, H.B., Purushothaman, C.S., Vennila, A., 2013. Plastic litter accumulation on high-water strandline of urban beaches in Mumbai, India. *Environ. Monit. Assess.* 185, 7709–7719. <https://doi.org/10.1007/s10661-013-3129-z>.
- Jeyasanta, K.I., Sathish, N., Patterson, J., Edward, J.K.P., 2020. Macro-, meso- and microplastic debris in the beaches of tuticorin district, southeast coast of India. *Mar. Pollut. Bull.* 154, 111055. <https://doi.org/10.1016/j.marpolbul.2020.111055>.
- Kaiser, D., Kowalski, N., Wanek, J.J., 2017. Effects of biofouling on the sinking behavior of microplastics. *Environ. Res. Lett.* 12, 124003. <https://doi.org/10.1088/1748-9326/aa8e8b>.
- Karbalaee, S., Golieskardi, A., Hamzah, H.B., Abdulwahid, S., Hanachi, P., Walker, T.R., Karami, A., 2019. Abundance and characteristics of microplastics in commercial marine fish from Malaysia. *Mar. Pollut. Bull.* 148, 5–15. <https://doi.org/10.1016/j.marpolbul.2019.07.072>.
- Karbalaee, S., Hanachi, P., Walker, T.R., Cole, M., 2018. Occurrence, sources, human health impacts and mitigation of microplastic pollution. *Environ. Sci. Pollut. Res.* 25, 36046–36063. <https://doi.org/10.1007/s11356-018-3508-7>.
- Keswani, A., Oliver, D.M., Gutierrez, T., Quilliam, R.S., 2016. Microbial hitchhikers on marine plastic debris: human exposure risks at bathing waters and beach environments. *Mar. Environ. Res.* 118, 10–19. <https://doi.org/10.1016/j.marenvres.2016.04.006>.
- Khan, S.A.R., 2019. The nexus between carbon emissions, poverty, economic growth, and logistics operations-empirical evidence from southeast asian countries. *Environ. Sci. Pollut. Res.* 26, 13210–13220. <https://doi.org/10.1007/s11356-019-04829-4>.
- Kirstein, I.V., Kirmizi, S., Wichels, A., Garin-Fernandez, A., Erler, R., Löder, M., Gerds, G., 2016. Dangerous hitchhikers? Evidence for potentially pathogenic *Vibrio* spp. on microplastic particles. *Mar. Environ. Res.* 120, 1–8. <https://doi.org/10.1016/j.marenvres.2016.07.004>.
- Knoblauch, D., Mederake, L., Stein, U., 2018. Developing countries in the lead-what drives the diffusion of plastic bag policies? *Sustainability* 10, 1–24. <https://doi.org/10.3390/su10061994>.
- Knott, B.C., Erickson, E., Allen, M.D., Gado, J.E., Graham, R., Kearns, F.L., Pardo, I., Topuzlu, E., Anderson, J.J., Austin, H.P., Dominick, G., Johnson, C.W., Rorrer, N.A., Szostkiewicz, C.J., Copié, V., Payne, C.M., Woodcock, H.L., Donohoe, B.S., Beckham, G.T., McGeehan, J.E., 2020. Characterization and engineering of a two-enzyme system for plastics depolymerization. *Proc. Natl. Acad. Sci. U. S. A.* 117, 25476–25485. <https://doi.org/10.1073/pnas.2006753117>.
- Koagouf, W., Arifin, Z., Olivier, G.W.J., Ciocan, C., 2021. High concentrations of paracetamol in effluent dominated waters of Jakarta Bay, Indonesia. *Mar. Pollut. Bull.* 169, 112558. <https://doi.org/10.1016/j.marpolbul.2021.112558>.
- Koelmans, A.A., Redondo-Hasselherm, P.E., Mohamed Nor, N.H., Kooi, M., 2020. Solving the non-alignment of methods and approaches used in microplastic research to consistently characterize risk. *Environ. Sci. Technol.* 54, 12307–12315.
- Kooi, M., Koelmans, A.A., 2019. Simplifying microplastic via continuous probability distributions for size, shape, and density. *Environ. Sci. Technol. Lett.* 6, 551–557. <https://doi.org/10.1021/acs.estlett.9b00379>.
- Kooi, M., van Nes, E.H., Scheffer, M., Koelmans, A.A., 2017. Ups and downs in the ocean: effects of biofouling on vertical transport of microplastics. *Environ. Sci. Technol.* 51, 7963–7971. <https://doi.org/10.1021/acs.est.6b04702>.
- Kundu, A., Shetti, N.P., Basu, S., Raghava, K., Nadagouda, M.N., Aminabhavi, T.M., 2021. Identification and removal of micro- and nano-plastics: efficient and cost-effective methods. *Chem. Eng. J.* 421, 129816. <https://doi.org/10.1016/j.cej.2021.129816>.
- Kunz, A., Walther, B.A., Löwemark, L., Lee, Y.C., 2016. Distribution and quantity of microplastic on sandy beaches along the northern coast of Taiwan. *Mar. Pollut. Bull.* 111, 126–135. <https://doi.org/10.1016/j.marpolbul.2016.07.022>.
- Kurniawan, R., Managi, S., 2018. Economic growth and sustainable development in Indonesia: an assessment. *Bull. Indones. Econ. Stud.* 54, 339–361. <https://doi.org/10.1080/00074918.2018.1450962>.



- Kurniawan, S.B., Imron, M.F., 2019. Seasonal variation of plastic debris accumulation in the estuary of Wonorejo River, Surabaya, Indonesia. *Environ. Technol. Innov.* 16, 100490. <https://doi.org/10.1016/j.eti.2019.100490>.
- Ladewig, S.M., Bianchi, T.S., Coco, G., Hope, J.A., Thrush, S.F., 2021. A call to evaluate plastic's impacts on marine benthic ecosystem interaction networks. *Environ. Pollut.* 273, 116423. <https://doi.org/10.1016/j.envpol.2021.116423>.
- Lahens, L., Strady, E., Kieu-Le, T.C., Dris, R., Boukerma, K., Rinnert, E., Gasperi, J., Tassin, B., 2018. Macroplastic and microplastic contamination assessment of a tropical river (Saigon River, Vietnam) transversed by a developing megacity. *Environ. Pollut.* 236, 661–671. <https://doi.org/10.1016/j.envpol.2018.02.005>.
- Lamb, J.B., Willis, B.L., Fiorenza, E.A., Couch, C.S., Howard, R., Rader, D.N., True, J.D., Kelly, L.A., Ahmad, A., Jompa, J., Harwell, C.D., 2018. Plastic waste associated with disease on coral reefs. *Science* 359, 460–462. <https://doi.org/10.3389/fmars.2018.00237>.
- Laurieri, N., Lucchese, A., Marino, A., Digiesi, S., 2020. A door-to-door waste collection system case study: a survey on its sustainability and effectiveness. *Sustainability* 12, 5520. <https://doi.org/10.3390/su12145520>.
- le Roux, F., Wegner, K.M., Baker-Austin, C., Vezzulli, L., Osorio, C.R., Amaro, C., Ritchie, J.M., Defoirdt, T., Destoumieux-Garzon, D., Blokesch, M., Mazel, D., Jacq, A., Cava, F., Gram, L., Wendling, C.C., Strauch, E., Kirschner, A., Huehn, S., 2015. The emergence of vibrio pathogens in Europe: ecology, evolution and pathogenesis (Paris, 11–12 march 2015). *Front. Microbiol.* 6, 1–8. <https://doi.org/10.3389/fmicb.2015.00830>.
- Lebreton, L.C.M., van der Zwet, J., Damsteeg, J.W., Slat, B., Andrady, A., Reisser, J., 2017. River plastic emissions to the world's oceans. *Nat. Commun.* 8, 1–10. <https://doi.org/10.1038/ncomms15611>.
- Lechthaler, S., Waldschläger, K., Sandhani, C.G., Sannasiraj, S.A., Sundar, V., Schwarzbauer, J., Schüttrumpf, H., 2021. Baseline study on microplastics in indian rivers under different anthropogenic influences. *Water (Basel)* 13, 1–13. <https://doi.org/10.3390/w13121648>.
- Lee, D.I., Cho, H.S., Jeong, S.B., 2006. Distribution characteristics of marine litter on the sea bed of the East China Sea and the South Sea of Korea. *Estuar. Coast. Shelf Sci.* 70, 187–194. <https://doi.org/10.1016/j.ecss.2006.06.003>.
- Lee, T., Fournier, S., Gordon, A.L., Sprattall, J., 2019. Maritime continent water cycle regulates low-latitude chokepoint of global ocean circulation. *Nat. Commun.* 10, 1–13. <https://doi.org/10.1038/s41467-019-10109-z>.
- Lestari, P., Trihadiningrum, Y., 2019. The impact of improper solid waste management to plastic pollution in Indonesian coast and marine environment. *Mar. Pollut. Bull.* 149, 110505. <https://doi.org/10.1016/j.marpolbul.2019.110505>.
- Li, L.G., Xia, Y., Zhang, T., 2017. Co-occurrence of antibiotic and metal resistance genes revealed in complete genome collection. *ISME J.* 11, 651–662. <https://doi.org/10.1038/ismej.2016.155>.
- Li, R., Yu, L., Chai, M., Wu, H., Zhu, X., 2020. The distribution, characteristics and ecological risks of microplastics in the mangroves of southern China. *Sci. Total Environ.* 708, 135025. <https://doi.org/10.1016/j.scitotenv.2019.135025>.
- Liao, J., Chen, Q., 2021. Biodegradable plastics in the air and soil environment: low degradation rate and high microplastics formation. *J. Hazard. Mater.* 418, 126329. <https://doi.org/10.1016/j.jhazmat.2021.126329>.
- Liquete, C., Piroddi, C., Drakou, E.G., Gurney, L., Katsanevakis, S., Charef, A., Egho, B., 2013. Current status and future prospects for the assessment of marine and coastal ecosystem services: a systematic review. *PLoS ONE* 8, e67737. <https://doi.org/10.1371/journal.pone.0067737>.
- Liu, Z., Adams, M., Walker, T.R., 2018. Are exports of recyclables from developed to developing countries waste pollution transfer or part of the global circular economy? *Resour. Conserv. Recycl.* 136, 22–23. <https://doi.org/10.1016/j.resconrec.2018.04.005>.
- Liu, Q., Li, Ming, H., Zuo, Li, X., Zhang, Fei, F., Wang, L., 2009. A survey and analysis on public awareness and performance for promoting circular economy in China: a case study from Tianjin. *J. Cleaner Production* 17, 265–270. <https://doi.org/10.1016/j.jclepro.2008.06.003>.
- Liu, Y., Liu, W., Yang, X., Wang, J., Lin, H., Yang, Y., 2021. Microplastics are a hotspot for antibiotic resistance genes: progress and perspective. *Sci. Total Environ.* 773, 145643. <https://doi.org/10.1016/j.scitotenv.2021.145643>.
- Lo, H.S., Lee, Y.K., Po, B.H.K., Wong, L.C., Xu, X., Wong, C.F., Wong, C.Y., Tam, N.F.Y., Cheung, S.G., 2020. Impacts of typhoon mangkhut in 2018 on the deposition of marine debris and microplastics on beaches in Hong Kong. *Sci. Total Environ.* 716, 137172. <https://doi.org/10.1016/j.scitotenv.2020.137172>.
- Long, M., Moriceau, B., Gallinari, M., Lambert, C., Huvet, A., Raffray, J., Soudant, P., 2015. Interactions between microplastics and phytoplankton aggregates: impact on their respective fates. *Mar. Chem.* 175, 39–46. <https://doi.org/10.1016/j.marchem.2015.04.003>.
- Luo, Y.Y., Not, C., Cannicci, S., 2021. Mangroves as unique but understudied traps for anthropogenic marine debris: a review of present information and the way forward. *Environ. Pollut.* 271, 116291. <https://doi.org/10.1016/j.envpol.2020.116291>.
- Luqmani, A., Leach, M., Jesson, D., 2017. Factors behind sustainable business innovation: the case of a global carpet manufacturing company. *Environ. Innov. Soc. Trans.* 24, 94–105. <https://doi.org/10.1016/j.eist.2016.10.007>.
- Lynch, I., Dawson, K.A., Lead, J.R., Valsami-Jones, E., 2014. Macromolecular coronas and their importance in nanotoxicology and nanoeotoxicology. *Front. Nanosci.* 127–156. <https://doi.org/10.1016/B978-0-08-099408-6.00004-9>.
- Lyons, Y., Linting Su, T., Lin Neo, M., 2019. A review of research on marine plastics in Southeast Asia: who does what? [WWW Document]. <https://www.gov.uk/government/publications/a-review-of-research-on-marine-plastics-in-sea-who-does-what>.
- Lyons, Y., Neo, M.L., Lim, A., Tay, Y.L.Y., Vu Hai, D., 2020. Status of Research, Legal and Policy Efforts on Marine Plastics in ASEAN + 3: A Gap Analysis at the Interface of Science, Law and Policy.
- Manalu, A.A., Hariyadi, S., Wardiatno, Y., 2017. Microplastics abundance in coastal sediments of Jakarta Bay, Indonesia. *AAI Bioflux* 10, 1164–1173.
- Marks, D., 2019. Southeast Asia's plastic waste problem [WWW Document]. <https://www.eastasiaforum.org/2019/06/26/southeast-asias-plastic-waste-problem/>.
- Marks, D., Miller, M.A., Vassanadumrongdee, S., 2020. The geopolitical economy of Thailand's marine plastic pollution crisis. *Asia Pac. Viewp.* 61, 266–282. <https://doi.org/10.1111/apv.12255>.
- Martin, C., Almahsheer, H., Duarte, C.M., 2019a. Mangrove forests as traps for marine litter. *Environ. Pollut.* 247, 499–508. <https://doi.org/10.1016/j.envpol.2019.01.067>.
- Martin, C., Baalkhuyur, F., Valluzzi, L., Saderne, V., Cusack, M., Almahsheer, H., Krishnakumar, P.K., Rabaoui, L., Qurban, M.A., Arias-Ortiz, A., Masqué, P., Duarte, C.M., 2020. Exponential increase of plastic burial in mangrove sediments as a major plastic sink. *Science Advances* 6, eaaz5593. <https://doi.org/10.1126/sciadv.aaz5593>.
- Martin, C., Corona, E., Mahadik, G.A., Duarte, C.M., 2019b. Adhesion to coral surface as a potential sink for marine microplastics. *Environ. Pollut.* 255, 113281. <https://doi.org/10.1016/j.envpol.2019.113281>.
- Martin, C., Zhang, Q., Zhai, D., Zhang, X., Duarte, C.M., 2021. Enabling a large-scale assessment of litter along Saudi Arabian red sea shores by combining drones and machine learning. *Environ. Pollut.* 277, 116730. <https://doi.org/10.1016/j.envpol.2021.116730>.
- Maruf, M., 2019. Indonesia response and recent development of law and policy in addressing marine plastic litter. *J. Indones. Legal Stud.* 4, 167. <https://doi.org/10.15294/jils.v4i2.34757>.
- Matsuguma, Y., Takada, H., Kumata, H., Kanke, H., 2017. Microplastics in sediment cores from Asia and Africa as indicators of temporal trends in plastic pollution. *Arch. Environ. Contam. Toxicol.* 73, 230–239. <https://doi.org/10.1007/s00244-017-0414-9>.
- McClanahan, T., Maina, J., Darling, E., D'agata, S., Muthiga, N., Leblond, J., Arthur, R., Jupiter, S., Wilson, S., Mangubhai, S., Ussi, A., Guillaume, M., Humphries, A., Patankar, V., Shedrawi, G., Pagu, J., Ndagalala, J., Grimsditch, G., 2020. Large scale geographic variability in the resistance of corals to thermal stress. *Glob. Ecol. Biogeogr.* 29, 2229–2247.
- McCormick, A.R., Hoellein, T.J., London, M.G., Hittie, J., Scott, J.W., Kelly, J.J., 2016. Microplastic in surface waters of urban rivers: concentration, sources, and associated bacterial assemblages. *Ecosphere* 7, e01556. <https://doi.org/10.1002/ecs2.1556>.
- Meijer, L.J.J., van Emmerik, T., van der Ent, R., Schmidt, C., Lebreton, L., 2021. More than 1000 rivers account for 80% of global riverine plastic emissions into the ocean. *Sci. Adv.* 7, 1–14. <https://doi.org/10.1126/sciadv.aaz5803>.
- Miao, L., Wang, P., Hou, J., Yao, Y., Liu, Z., Liu, S., Li, T., 2019. Distinct community structure and microbial functions of biofilms colonizing microplastics. *Sci. Total Environ.* 650, 2395–2402. <https://doi.org/10.1016/j.scitotenv.2018.09.378>.
- Michida, Y., Chavanich, S., Chiba, S., Cordova, M.R., Cózar, C.A., Galgani, F., Hagmann, P., Hinata, H., Isobe, A., Kershaw, P., Kozlovskii, N., Li, D., Lusher, A.L., Marti, E., Mason, S.A., Mu, J.L., Saito, H., Shim, W.J., Syakti, A.D., Takada, H., Thompson, R., Tokai, T., Uchida, K., Wang, J., 2019. Guidelines for harmonizing ocean surface microplastic. *Guidelines for Harmonizing Ocean Surface Microplastic Monitoring Methods. Japan.*
- Crossing borders: Governing the globalizing urban matrix of compound disasters in Asia and the Pacific. In: Miller, M., Douglass, M., Garschagen, M. (Eds.), *Crossing Borders: Governing Environmental Disasters in a Global Urban Age in Asia and the Pacific*. Springer, Singapore, pp. 1–20.
- Miller, M.A., Astuti, R., Hirsch, P., Marschke, M., Rigg, J., Saksena-Taylor, P., Suhardiman, D., Dienne Tan, M.Z., Taylor, D.M., Varkkey, H., 2022. Selective border permeability: governing complex environmental issues through and beyond COVID-19. *Polit. Geogr.* 97, 102646. <https://doi.org/10.1016/j.polgeo.2022.102646>.
- Mohamed Nor, N.H., Kooi, M., Diepens, N.J., Koelmans, A.A., 2021. Lifetime accumulation of microplastic in children and adults. *Environ. Sci. Technol.* 55, 5084–5096. <https://doi.org/10.1021/acs.est.0c07384>.
- Mohamed Nor, N.H., Obbard, J.P., 2014. Microplastics in Singapore's coastal mangrove ecosystems. *Mar. Pollut. Bull.* 79, 278–283. <https://doi.org/10.1016/j.marpolbul.2013.11.025>.
- Moresco, V., Oliver, D.M., Weidmann, M., Matallana-Surget, S., Quilliam, R.S., 2021. Survival of human enteric and respiratory viruses on plastics in soil, freshwater, and marine environments. *Environ. Res.* 199, 111367. <https://doi.org/10.1016/j.envres.2021.111367>.
- Morren, M., Grinstein, A., 2016. Explaining environmental behavior across borders: a meta-analysis. *J. Environ. Psychol.* 47, 91–106. <https://doi.org/10.1016/j.jenvp.2016.05.003>.
- Muthukumar, A., Veerappapillai, S., 2015. Biodegradation of plastics—a brief review. *Int. J. Pharm. Sci. Rev. Res.* 31, 204–209.
- Nakajima, R., Miyama, T., Kitahashi, T., Isobe, N., Nagano, Y., Ikuta, T., Oguri, K., Tsuchiya, M., Yoshida, T., Aoki, K., Maeda, Y., Kawamura, K., Suzukawa, M., Yamauchi, T., Ritchie, H., Fujikura, K., Yabuki, A., 2022. Plastic after an extreme storm: the typhoon-induced response of micro- and mesoplastics in coastal waters. *Front. Mar. Sci.* 8, 1–11. <https://doi.org/10.3389/fmars.2021.806952>.
- Nam, P.N., Tuan, P.Q., Thuy, D.T., Quynh, L.T.P., Amiard, F., 2019. Contamination of microplastic in bivalve: first evaluation in Vietnam. *Vietnam J. Earth Sci.* 41, 252–258. <https://doi.org/10.15625/0866-7187/41/3/13925>.
- Nelms, S.E., Duncan, E.M., Patel, S., Badola, R., Bhola, S., Chakma, S., Chowdhury, G.W., Godley, B.J., Haque, A.B., Johnson, J.A., Khatoun, H., Kumar, S., Napper, I.E., Niloy, M.N.H., Akter, T., Badola, S., Dev, A., Rawat, S., Santillo, D., Sarker, S., Sharma, E., Koldewey, H., 2021. Riverine plastic pollution from fisheries: insights from the Ganges River system. *Sci. Total Environ.* 756, 143305. <https://doi.org/10.1016/j.scitotenv.2020.143305>.
- Newing, H., 2010. Conducting research in conservation: social science methods and practice. *Conducting Research in Conservation: Social Science Methods and Practice*. Routledge, London (UK), pp. 1–400. <https://doi.org/10.4324/9780203846452>.
- Nguyen, Q.A.T., Nguyen, H.N.Y., Strady, E., Nguyen, Q.T., Trinh-Dang, M., Vo, V.M., 2020. Characteristics of microplastics in shoreline sediments from a tropical and urbanized beach (Da Nang, Vietnam). *Mar. Pollut. Bull.* 161, 111768. <https://doi.org/10.1016/j.marpolbul.2020.111768>.

- Nugroho, D., Koch-Larrouy, A., Gaspar, P., Lyard, F., Reffray, G., Tranchant, B., 2018. Modelling explicit tides in the Indonesian seas: an important process for surface sea water properties. *Mar. Pollut. Bull.* 131, 7–18. <https://doi.org/10.1016/j.marpolbul.2017.06.033>.
- Nurdhy, S.N., 2020. Potentials and Challenges of Existing Plastic Pollutant Biodegradation Using Bacteria in Jakarta Bay. *Proceeding International Conference on Science and Engineering*, pp. 475–485.
- Nurhasanah, Cordova, M.R., Riani, E., 2021. Micro- and mesoplastics release from the Indonesian municipal solid waste landfill leachate to the aquatic environment: case study in Galuga landfill Area, Indonesia. *Mar. Pollut. Bull.* 163, 111986. <https://doi.org/10.1016/j.marpolbul.2021.111986>.
- Oberbeckmann, S., Bartosik, D., Huang, S., Werner, J., Hirschfeld, C., Wibberg, D., Heiden, S.E., Bunk, B., Overmann, J., Becher, D., Kalinowski, J., Schweder, T., Labrenz, M., Markert, S., 2021. Genomic and proteomic profiles of biofilms on microplastics are decoupled from artificial surface properties. *Environ. Microbiol.* 23, 3099–3115. <https://doi.org/10.1111/1462-2920.15531>.
- Oberbeckmann, S., Kreikemeyer, B., Labrenz, M., 2018. Environmental factors support the formation of specific bacterial assemblages on microplastics. *Front. Microbiol.* 8, 1–12. <https://doi.org/10.3389/fmicb.2017.02709>.
- Oberbeckmann, S., Labrenz, M., 2020. Marine microbial assemblages on microplastics: diversity, adaptation, and role in degradation. *Annu. Rev. Mar. Sci.* 12, 209–232. <https://doi.org/10.1146/annurev-marine-010419-010633>.
- Onda, D.F.L., Gomez, N.C.F., Purganan, D.J.E., Tolentino, M.P.S., Bitalac, J.M.S., Calpito, J.V.M., Perez, J.N.O., Viernes, A.C.A., 2020. Marine microbes and plastic debris: research status and opportunities in the Philippines. *Phil. J. Sci.* 149, 71–82.
- One Planet, 2021. Plastic pollution: campaigns that work [WWW Document]. One Planet. <https://www.oneplanetnetwork.org/report-reducing-plastic-pollution-campaigns-work>.
- OSPAR, 2010. OSPAR commission, protecting and conserving the North-East Atlantic and its resources [WWW Document]. OSPAR. <https://www.ospar.org>.
- Paler, M.K.O., Leistenschneider, C., Migo, V., Burkhardt-Holm, P., 2021. Low microplastic abundance in *siganus* spp. From the Tañon Strait, Central Philippines. *Environ. Pollut.* 284, 117166. <https://doi.org/10.1016/j.envpol.2021.117166>.
- Pariatambay, A., 2018. Marine debris, plastics, microplastics and nano-plastics: what next? *Waste Manag. Res.* 36, 869–871. <https://doi.org/10.1177/0734242X18796770>.
- Pariatambay, A., Kee, Y.L., 2016. Persistent organic pollutants management and remediation. *Procedia Environ. Sci.* 31, 842–848. <https://doi.org/10.1016/j.proenv.2016.02.093>.
- Pedà, C., Caccamo, L., Fossi, M.C., Gai, F., Andaloro, F., Genovese, L., Perdicchizzi, A., Romeo, T., Maricchiolo, G., 2016. Intestinal alterations in European sea bass *Dicentrarchus labrax* (Linnaeus, 1758) exposed to microplastics: preliminary results. *Environ. Pollut.* 212, 251–256. <https://doi.org/10.1016/j.envpol.2016.01.083>.
- PEMSEA, 2015. Sustainable Development Strategy for the Seas of East Asia. Quezon City (Philippines).
- Peñafior, E.L., Skirving, W.J., Strong, A.E., Heron, S.F., David, L.T., 2009. Sea-surface temperature and thermal stress in the coral triangle over the past two decades. *Coral Reefs* 28, 841–850. <https://doi.org/10.1007/s00338-009-0522-8>.
- Peng, X., Dasgupta, S., Zhong, G., Du, M., Xu, H., Chen, M., Chen, S., Ta, K., Li, J., 2019. Large debris dumps in the northern South China Sea. *Mar. Pollut. Bull.* 142, 164–168. <https://doi.org/10.1016/j.marpolbul.2019.03.041>.
- Phelan, A.A., Ross, H., Setianto, N.A., Fielding, K., Pradipta, L., 2020. Ocean plastic crisis—mental models of plastic pollution from remote Indonesian coastal communities. *PLoS ONE* 15, 1–29. <https://doi.org/10.1371/journal.pone.0236149>.
- Poole, K., 2017. At the nexus of antibiotics and metals: the impact of Cu and Zn on antibiotic activity and resistance. *Trends Microbiol.* 25, 820–832. <https://doi.org/10.1016/j.tim.2017.04.010>.
- Praveena, S.M., Syahira Asmawi, M., Chyi, J.L.Y., 2021. Microplastic emissions from household washing machines: preliminary findings from greater Kuala Lumpur (Malaysia). *Environ. Sci. Pollut. Res.* 28, 18518–18522. <https://doi.org/10.1007/s11356-020-10795-z>.
- Putri, F.T., Patria, M.P., 2021. Microplastic in mangrove horn snail *Telescopium telescopium* (Linnaeus, 1758) at mangrove ecosystem, Rambut Island, Jakarta Bay, Indonesia. *J. Phys. Conf. Ser.* 1725, 012045. <https://doi.org/10.1088/1742-6596/1725/1/012045>.
- Ragusa, A., Svelato, A., Santacroce, C., Catalano, P., Notarstefano, V., Carnevali, O., Papa, F., Rongioletti, M.C.A., Baiocco, F., Draghi, S., D'Amore, E., Rinaldo, D., Matta, M., Giorgini, E., 2021. Plasticenta: first evidence of microplastics in human placenta. *Environ. Int.* 146, 106274. <https://doi.org/10.1016/j.envint.2020.106274>.
- Rahman, I., Mujahid, A., Palombo, E.A., Müller, M., 2021. A functional gene-array analysis of microbial communities settling on microplastics in a peat-draining environment. *Mar. Pollut. Bull.* 166, 112226. <https://doi.org/10.1016/j.marpolbul.2021.112226>.
- Raubenheimer, K., McIlgorm, A., 2017. Is the Montreal protocol a model that can help solve the global marine plastic debris problem? *Mar. Policy* 81, 322–329. <https://doi.org/10.1016/j.marpol.2017.04.014>.
- Reichert, J., Schellenberg, J., Schubert, P., Wilke, T., 2018. Responses of reef building corals to microplastic exposure. *Environ. Pollut.* 237, 955–960. <https://doi.org/10.1016/j.envpol.2017.11.006>.
- Reisser, J., Shaw, J., Wilcox, C., Hardesty, B.D., Proietti, M., Thums, M., Pattiaratchi, C., 2013. Marine plastic pollution in waters around Australia: characteristics, concentrations, and pathways. *PLoS ONE* 8, e80466. <https://doi.org/10.1371/journal.pone.0080466>.
- Renner, G., Schmidt, T.C., Schram, J., 2018. Analytical methodologies for monitoring micro (nano)plastics: which are fit for purpose? *Curr. Opin. Environ. Sci. Health* 1, 55–61. <https://doi.org/10.1016/j.coesh.2017.11.001>.
- Riani, E., Cordova, M.R., 2021. Microplastic ingestion by the sandfish *Holothuria scabra* in Lampung and Sumbawa, Indonesia. *Mar. Pollut. Bull.* 175, 113134. <https://doi.org/10.1016/j.marpolbul.2021.113134>.
- Richardson, K., Haynes, D., Talouli, A., Donoghue, M., 2017. Marine pollution originating from purse seine and longline fishing vessel operations in the Western and Central Pacific Ocean, 2003–2015. *Ambio* 46, 190–200. <https://doi.org/10.1007/s13280-016-0811-8>.
- River Cleanup, 2020. Visit Interceptor 001 [WWW Document]. <https://www.river-cleanup.org/en/news/visit-interceptor-001>.
- Roager, L., Sonnenschein, E.C., 2019. Bacterial candidates for colonization and degradation of marine plastic debris. *Environ. Sci. Technol.* 53, 11636–11643. <https://doi.org/10.1021/acs.est.9b02212>.
- Rochman, C.M., Tahir, A., Williams, S.L., Baxa, D.v., Lam, R., Miller, J.T., Teh, F.C., Werorilangi, S., Teh, S.J., 2015. Anthropogenic debris in seafood: Plastic debris and fibers from textiles in fish and bivalves sold for human consumption. *Sci. Rep.* 5, 1–10. <https://doi.org/10.1038/srep14340>.
- Rodrigues, A., Oliver, D.M., McCarron, A., Quilliam, R.S., 2019. Colonisation of plastic pellets (nurdles) by *E. Coli* at public bathing beaches. *Mar. Pollut. Bull.* 139, 376–380. <https://doi.org/10.1016/j.marpolbul.2019.01.011>.
- Roebroek, C.T.J., Harrigan, S., van Emmerik, T.H.M., Baugh, C., Eilander, D., Prudhomme, C., Pappenberger, F., 2021. Plastic in global rivers: are floods making it worse? *Environ. Res. Lett.* 16, 025003. <https://doi.org/10.1088/1748-9326/abd5df>.
- Roman, L., Hardesty, B.D., Hindell, M.A., Wilcox, C., 2019. A quantitative analysis linking seabird mortality and marine debris ingestion. *Sci. Rep.* 9, 1–7. <https://doi.org/10.1038/s41598-018-36585-9>.
- Ronda, M., 2018. *Plastic Pollution and Poetry* [WWW Document]. Stanford University Press Blog.
- Rüthi, J., Bölsterli, D., Pardi-Comensoli, L., Brunner, I., Frey, B., 2020. The “plasticsphere” of biodegradable plastics is characterized by specific microbial taxa of alpine and Arctic soils. *Front. Environ. Sci.* 8, 1–23. <https://doi.org/10.3389/fenvs.2020.562263>.
- Ryan, P.G., Dilley, B.J., Ronconi, R.A., Connan, M., 2019. Rapid increase in asian bottles in the South Atlantic Ocean indicates major debris inputs from ships. *Proc. Natl. Acad. Sci. U. S. A.* 116, 20892–20897. <https://doi.org/10.1073/pnas.1909816116>.
- Sanchez-Vidal, A., Canals, M., de Haan, W.P., Romero, J., Veny, M., 2021. Seagrasses provide a novel ecosystem service by trapping marine plastics. *Sci. Rep.* 11, 1–7. <https://doi.org/10.1038/s41598-020-79370-3>.
- Santodomingo, N., Perry, C., Waheed, Z., Syed Hussein, M.A., bin, Rosedy, A., Johnson, K.G., 2021. Marine litter pollution on coral reefs of Darvel Bay (East Sabah, Malaysia). *Mar. Pollut. Bull.* 173, 112998. <https://doi.org/10.1016/j.marpolbul.2021.112998>.
- Santos, R.G., Andrade, R., Demetrio, G.R., Kuwai, G.M., Sobral, M.F., Machovsky-Capuska, G.E., Vieira, J.de S., 2020. Exploring plastic-induced satiety in foraging green turtles. *Environ. Pollut.* 265, 114918. <https://doi.org/10.1016/j.envpol.2020.114918>.
- SAPEA, 2019. SAPEA, Science Advice for Policy by European Academies. A Scientific Perspective on Microplastics in Nature and Society, Evidence Review Report. SAPEA, Berlin (Germany). <https://doi.org/10.26356/microplastics>.
- Sasaki, S., 2021. The effects on Thailand of China's import restrictions on waste: measures and challenges related to the international recycling of waste plastic and e-waste. *J. Mater. Cycl. Waste Manag.* 23, 77–83. <https://doi.org/10.1007/s10163-020-01113-3>.
- Savinelli, B., Vega Fernández, T., Galasso, N.M., D'Anna, G., Pipitone, C., Prada, F., Zenone, A., Badalamenti, F., Musco, L., 2020. Microplastics impair the feeding performance of a Mediterranean habitat-forming coral. *Mar. Environ. Res.* 155, 104887. <https://doi.org/10.1016/j.marenvres.2020.104887>.
- Sawalman, R., Werorilangi, S., Ukkas, M., Mashoreng, S., Yasir, I., Tahir, A., 2021. Microplastic abundance in sea urchins (*Diadema setosum*) from seagrass beds of Barranglombo Island, Makassar, Indonesia. *IOP Conference Series: Earth and Environmental Science* 763, 012057. <https://doi.org/10.1088/1755-1315/763/1/012057>.
- Schmaltz, E., Melvin, E.C., Diana, Z., Gunady, E.F., Rittschof, D., Somarelli, J.A., Virdin, J., Dunphy-Daly, M.M., 2020. Plastic pollution solutions: emerging technologies to prevent and collect marine plastic pollution. *Environ. Int.* 144, 106067. <https://doi.org/10.1016/j.envint.2020.106067>.
- Schwabl, P., Koppel, S., Königshofer, P., Bucsis, T., Trauner, M., Reiberger, T., Liebmann, B., 2019. Detection of various microplastics in human stool: a prospective case series. *Ann. Intern. Med.* 171, 453–457. <https://doi.org/10.7326/M19-0618>.
- SEA Circular, 2019. *Marine Plastic Litter in East Asian Seas: Gender, Human Rights and Economic Dimensions*. UNEP, Bangkok.
- Senko, J., Nelms, S., Reavis, J., Witherington, B., Godley, B., Wallace, B., 2020. Understanding individual and population-level effects of plastic pollution on marine megafauna. *Endanger. Species Res.* 43, 234–252. <https://doi.org/10.3354/esr01064>.
- Shah, A.A., Hasan, F., Hameed, A., Ahmed, S., 2008. Biological degradation of plastics: a comprehensive review. *Biotechnol. Adv.* 26, 246–265. <https://doi.org/10.1016/j.biotechadv.2007.12.005>.
- Shauib Ibrahim, Y., Alyza, A.A., Shaakirah, A.S., Sabiqah, T.A., Siti, A.A., 2016. Microplastics ingestion by scapharca cornea at setiu wetland, Terengganu, Malaysia. *Middle-East J. Sci. Res.* 24, 2129–2136. <https://doi.org/10.5829/idosi.mejrs.2016.24.06.23654>.
- Shuker, I.G., Cadman, C.A., 2018. Indonesia - marine debris hotspot rapid assessment: synthesis report (English). *Marine Pollution and Climate Change*. Washington (USA) <https://doi.org/10.1201/9781315119243-6>.
- Singh, B., Sharma, N., 2008. Mechanistic implications of plastic degradation. *Polym. Degrad. Stab.* 93, 561–584. <https://doi.org/10.1016/j.polydegradstab.2007.11.008>.
- Singh, V., Qin, X., 2020. Study of rainfall variabilities in Southeast Asia using long-term gridded rainfall and its substantiation through global climate indices. *J. Hydrol.* 585. <https://doi.org/10.1016/j.jhydrol.2019.124320>.
- Smith, S.D.A., 2012. Marine debris: a proximate threat to marine sustainability in Bootless Bay, Papua New Guinea. *Mar. Pollut. Bull.* 64, 1880–1883. <https://doi.org/10.1016/j.marpolbul.2012.06.013>.
- Spalding, M., Kainuma, M., Collins, L., 2010. *World Atlas of Mangroves*. Earthscan.
- Sprintall, J., Wijffels, S.E., Molcard, R., Jaya, I., 2009. Direct estimates of the Indonesian throughflow entering the Indian Ocean: 2004–2006. *J. Geophys. Res. Oceans* 114, 1–19. <https://doi.org/10.1029/2008JC005257>.
- Stelfox, M., Hudgins, J., Sweet, M., 2016. A review of ghost gear entanglement amongst marine mammals, reptiles and elasmobranchs. *Mar. Pollut. Bull.* 111, 6–17. <https://doi.org/10.1016/j.marpolbul.2016.06.034>.



- Strand, K.O., Huserbråten, M., Dagestad, K.-F., Mauritzen, C., Grøsvik, B.E., Nogueira, L.A., Melsom, A., Røhrs, J., 2021. Potential sources of marine plastic from survey beaches in the Arctic and Northeast Atlantic. *Sci. Total Environ.* 790, 148009. <https://doi.org/10.1016/j.scitotenv.2021.148009>.
- Stuchtey, M.R., Dixon, B., Danielson, J., Hale, J., Wiplinger, D., Bai, P., 2019. Project STOP: City Partnerships to Prevent Ocean Plastics in Indonesia.
- Suarika, G., Aliani, S., Merlino, S., Abbate, M., 2018. The occurrence of paraffin and other petroleum waxes in the marine environment: a review of the current legislative framework and shipping operational practices. *Front. Mar. Sci.* 5, 1–10. <https://doi.org/10.3389/fmars.2018.00094>.
- Suckling, C.C., 2021. Responses to environmentally relevant microplastics are species-specific with dietary habit as a potential sensitivity indicator. *Sci. Total Environ.* 751, 142341. <https://doi.org/10.1016/j.scitotenv.2020.142341>.
- Sulistiyowati, L., Nurhasanah, Riani, E., Cordova, M.R., 2022. The occurrence and abundance of microplastics in surface water of the midstream and downstream of the Cisadane River, Indonesia. *Chemosphere* 291, 133071. <https://doi.org/10.1016/j.chemosphere.2021.133071>.
- Summers, S., Henry, T., Gutierrez, T., 2018. Agglomeration of nano- and microplastic particles in seawater by autochthonous and de novo-produced sources of exopolymeric substances. *Mar. Pollut. Bull.* 130, 258–267. <https://doi.org/10.1016/j.marpolbul.2018.03.039>.
- Sur, C., Abbott, J.M., Ambo-Rappe, R., Asriani, N., Hameed, S.O., Jellison, B.M., Lestari, H.A., Limbong, S.R., Mandasari, M., Ng, G., Syahid, S., Trockel, D., Umar, W., Williams, S.L., Satterthwaite, E.v., 2018. Marine debris on small islands: insights from an educational outreach program in the spermonde archipelago, Indonesia. *Front. Mar. Sci.* 5, 1–5. <https://doi.org/10.3389/fmars.2018.00035>.
- Syakti, A.D., Hidayati, N.V., Jaya, Y.V., Siregar, S.H., Yude, R., Suhendy, Asia, L., Wong-Wah-Chung, P., Doumenq, P., 2018. Simultaneous grading of microplastic size sampling in the Small Islands of Bintan water, Indonesia. *Mar. Pollut. Bull.* 137, 593–600. <https://doi.org/10.1016/j.marpolbul.2018.11.005>.
- Tabasi, R.Y., Aiji, A., 2015. Selective degradation of biodegradable blends in simulated laboratory composting. *Polym. Degrad. Stab.* 120, 435–442. <https://doi.org/10.1016/j.polydegradstab.2015.07.020>.
- Tabuchi, H., Corkery, M., Mureithi, C., 2020. Big oil is in trouble. Its plan: flood Africa with plastic [WWW Document]. *New York Times*. <https://www.nytimes.com/2020/08/30/climate/oil-kenya-africa-plastics-trade.html>.
- Tahir, A., Samawi, M.F., Sari, K., Hidayat, R., Nimzet, R., Wicaksono, E.A., Asrul, L., Werorilangi, S., 2019. Studies on microplastic contamination in seagrass beds at Spermonde Archipelago of Makassar Strait, Indonesia. *Journal of Physics: Conference Series* 1341, 022008. <https://doi.org/10.1088/1742-6596/1341/2/022008>.
- Teh, L.C.L., Pauly, D., 2018. Who brings in the fish? The relative contribution of small-scale and industrial fisheries to food security in Southeast Asia. *Front. Mar. Sci.* 4, 1–9. <https://doi.org/10.3389/fmars.2018.00044>.
- Teh, L.C.L., Sumaila, U.R., 2013. Contribution of marine fisheries to worldwide employment. *Fish. Fish.* 14, 77–88. <https://doi.org/10.1111/j.1467-2979.2011.00450.x>.
- ter Halle, A., Ladirat, L., Gendre, X., Goudouneche, D., Pusineri, C., Routaboul, C., Tenailleau, C., Duployer, B., Perez, E., 2016. Understanding the fragmentation pattern of marine plastic debris. *Environ. Sci. Technol.* 50, 5668–5675. <https://doi.org/10.1021/acs.est.6b00594>.
- Thushari, G.G.N., Chavanich, S., Yakupitiyage, A., 2017a. Coastal debris analysis in beaches of Chonburi Province, eastern of Thailand as implications for coastal conservation. *Mar. Pollut. Bull.* 116, 121–129. <https://doi.org/10.1016/j.marpolbul.2016.12.056>.
- Thushari, G.G.N., Senevirathna, J.D.M., 2020. Plastic pollution in the marine environment. *Heliyon* 6, e04709. <https://doi.org/10.1016/j.heliyon.2020.e04709>.
- Thushari, G.G.N., Senevirathna, J.D.M., Yakupitiyage, A., Chavanich, S., 2017b. Effects of microplastics on sessile invertebrates in the eastern coast of Thailand: an approach to coastal zone conservation. *Mar. Pollut. Bull.* 124, 349–355. <https://doi.org/10.1016/j.marpolbul.2017.06.010>.
- Tittensor, D.P., Mora, C., Jetz, W., Lotze, H.K., Ricard, D., Berghe, E.vanden, Worm, B., 2010. Global patterns and predictors of marine biodiversity across taxa. *Nature* 466, 1098–1101. <https://doi.org/10.1038/nature09329>.
- Tout, J., Siboni, N., Messer, L.F., Garren, M., Stocker, R., Webber, N.S., Ralph, P.J., Seymour, J.R., 2015. Increased seawater temperature increases the abundance and alters the structure of natural vibrio populations associated with the coral *Pocillopora damicornis*. *Front. Microbiol.* 6, 1–12. <https://doi.org/10.3389/fmicb.2015.00432>.
- Trujillo-Rodríguez, M.J., Gomila, R.M., Martorell, G., Miró, M., 2021. Microscale extraction versus conventional approaches for handling gastrointestinal extracts in oral bioaccessibility assays of endocrine disrupting compounds from microplastic contaminated beach sand. *Environ. Pollut.* 272, 115992. <https://doi.org/10.1016/j.envpol.2020.115992>.
- Tu, C., Chen, T., Zhou, Q., Liu, Y., Wei, J., Wanick, J.J., Luo, Y., 2020. Biofilm formation and its influences on the properties of microplastics as affected by exposure time and depth in the seawater. *Sci. Total Environ.* 734, 139237. <https://doi.org/10.1016/j.scitotenv.2020.139237>.
- Tun, K., Chou, L.M., Cabanban, A., Tuan, V.S., Yeemin, T., Suharsono, Sour, K., Lane, D., 2005. Status of coral reefs, coral reef monitoring and management in Southeast Asia, 2004. *Status of Coral Reefs of the World: 2004*, pp. 235–276.
- UNEP, 2020. United Nation Environmental Programme [WWW Document]. <https://www.unep.org/cobsea/what-we-do>.
- UNEP, 2014. Stockholm Convention, United Nations Environment Programme. [WWW Document]. <http://chm.pops.int/>.
- UNESCAP, 2020. Policy Brief: The Impact of COVID-19 on South-East Asia.
- Utami, D.A., Reuning, L., Konechnaya, O., Schwarzbauer, J., 2021. Microplastics as a sedimentary component in reef systems: a case study from the Java Sea. *Sedimentology* 68, 2270–2292. <https://doi.org/10.1111/sed.12879>.
- Valderrama Ballesteros, L., Matthews, J.L., Hoeksema, B.W., 2018. Pollution and coral damage caused by derelict fishing gear on coral reefs around Koh tao, gulf of Thailand. *Mar. Pollut. Bull.* 135, 1107–1116. <https://doi.org/10.1016/j.marpolbul.2018.08.033>.
- Valenzuela, F., Böhm, S., 2017. Against wasted politics: a critique of the circular economy. *Ephemera Theory Politics Org.* 17, 23–60.
- van Bijsterveldt, C.E.J., van Wesenbeeck, B.K., Ramadhani, S., Raven, O.V., van Gool, F.E., Pribadi, R., Bouma, T.J., 2021. Does plastic waste kill mangroves? A field experiment to assess the impact of macro plastics on mangrove growth, stress response and survival. *Sci. Total Environ.* 756, 143826. <https://doi.org/10.1016/j.scitotenv.2020.143826>.
- van Calcar, C.J., van Emmerik, T.H.M., 2019. Abundance of plastic debris across european and asian rivers. *Environ. Res. Lett.* 14, 124051. <https://doi.org/10.1088/1748-9326/ab5468>.
- van Sebille, E., Onink, V., Shanks, A.L., Aliani, S., Law, K.L., Maximenko, N., Alsina, J.M., Bagaev, A., Bergmann, M., Chapron, B., Chubarenko, I., Cózar, A., 2020. The physical oceanography of the transport of floating marine debris. *Environ. Res. Lett.* 15, 023003. <https://doi.org/10.1088/1748-9326/ab6d7d>.
- Visvanathan, C., Anbumozhi, V., 2018. Evolutionary acts and global economic transition: progress of the circular economy in ASEAN. In: Anbumozhi, Venkatachalam, Kimura, F. (Eds.), *Industry 4.0: Empowering ASEAN for the Circular Economy*. ERIA, Jakarta, pp. 67–105.
- Vriend, P., Hidayat, H., van Leeuwen, J., Cordova, M.R., Purba, N.P., Löhr, A.J., 2021. Plastic pollution research in Indonesia: state of science and future research directions to reduce impacts. *Front. Environ. Sci.* 9, 1–12. <https://doi.org/10.3389/fenvs.2021.692907>.
- Wang, J., Peng, C., Li, H., Zhang, P., Liu, X., 2021b. The impact of microplastic-microbe interactions on animal health and biogeochemical cycles: a mini-review. *Sci. Total Environ.* 773, 145697. <https://doi.org/10.1016/j.scitotenv.2021.145697>.
- Wang, D., Wang, Q., Cai, S., Shang, X., Peng, S., Shu, Y., Xiao, J., Xie, Xiaohui, Zhang, Z., Liu, Z., Lan, J., Chen, D., Xue, H., Wang, G., Gan, J., Xie, Xinong, Zhang, R., Chen, H., Yang, Q., 2019. Advances in research of the mid-deep South China Sea circulation. *Sci. China Earth Sci.* 62, 1992–2004. <https://doi.org/10.1007/s11430-019-9546-3>.
- Wang, F., Zhang, M., Sha, W., Wang, Y., Hao, H., Dou, Y., Li, Y., 2020. Sorption behavior and mechanisms of organic contaminants to nano and microplastics. *Molecules* 25, 1827. <https://doi.org/10.3390/molecules25081827>.
- Wang, J., Guo, X., Xue, J., 2021a. Biofilm-developed microplastics as vectors of pollutants in aquatic environments. *Environ. Sci. Technol.* 55, 12780–12790. <https://doi.org/10.1021/acs.est.1c04466>.
- Wang, S., Chen, H., Zhou, X., Tian, Y., Lin, C., Wang, W., Zhou, K., Zhang, Y., Lin, H., 2020. Microplastic abundance, distribution and composition in the mid-West Pacific Ocean. *Environ. Pollut.* 264, 114125. <https://doi.org/10.1016/j.envpol.2020.114125>.
- Wang, T., Wang, L., Chen, Q., Kalogerakis, N., Ji, R., Ma, Y., 2020. Interactions between microplastics and organic pollutants: effects on toxicity, bioaccumulation, degradation, and transport. *Sci. Total Environ.* 748, 142427. <https://doi.org/10.1016/j.scitotenv.2020.142427>.
- Wardoyo, P., 2018. Plastic to ride: Indonesians swap bottles for bus tickets [WWW Document]. *Reuters*. <https://www.reuters.com/article/us-indonesia-environment-plastics-bus-idINKN1MX1OD>.
- Wardrop, P., Shimeta, J., Nugegoda, D., Morrison, P.D., Miranda, A., Tang, M., Clarke, B.O., 2016. Chemical pollutants sorbed to ingested microbeads from personal care products accumulate in fish. *Environ. Sci. Technol.* 50, 4037–4044. <https://doi.org/10.1021/acs.est.5b06280>.
- Warren, C., Steenbergen, D.J., 2021. Fisheries decline, local livelihoods and conflicted governance: an Indonesian case. *Ocean Coast. Manag.* 202, 105498. <https://doi.org/10.1016/j.ocecoaman.2020.105498>.
- Watts, A.J.R., Urbina, M.A., Corr, S., Lewis, C., Galloway, T.S., 2015. Ingestion of plastic microfibers by the crab *Carcinus maenas* and its effect on food consumption and energy balance. *Environ. Sci. Technol.* 49, 14597–14604. <https://doi.org/10.1021/acs.est.5b04026>.
- Winterstetter, A., Grodent, M., Kini, V., Ragaert, K., Vrancken, K.C., 2021. A review of technological solutions to prevent or reduce marine plastic litter in developing countries. *Sustainability* 13, 4894. <https://doi.org/10.3390/su13094894>.
- Wright, R.J., Erni-Cassola, G., Zadjelovic, V., Latva, M., Christie-Oleza, J.A., 2020. Marine plastic debris: a new surface for microbial colonization. *Environ. Sci. Technol.* 54, 11657–11672. <https://doi.org/10.1021/acs.est.0c02305>.
- Wright, R.J., Langille, M.G.L., Walker, T.R., 2021. Food or just a free ride? A meta-analysis reveals the global diversity of the plastisphere. *ISME J.* 15, 789–806. <https://doi.org/10.1038/s41396-020-00814-9>.
- WWF Philippines, 2020. EPR Scheme Assessment for Plastic Packaging Wastes in the Philippines.
- Xia, F., Yao, Q., Zhang, J., Wang, D., 2021. Effects of seasonal variation and resuspension on microplastics in river sediments. *Environ. Pollut.* 286, 117403. <https://doi.org/10.1016/j.envpol.2021.117403>.
- Xuan Son, N.T., 2021. Policy on marine plastic waste in asean and Vietnam. *Environ. Claims J.* 33, 41–53. <https://doi.org/10.1080/10406026.2020.1775347>.
- Yamakita, T., Sudo, K., Jintsu-Uchifune, Y., Yamamoto, H., Shirayama, Y., 2017. Identification of important marine areas using ecologically or biologically significant areas (EBAS) criteria in the east to Southeast Asia region and comparison with existing registered areas for the purpose of conservation. *Mar. Policy* 81, 273–284. <https://doi.org/10.1016/j.marpol.2017.03.040>.
- Yang, Y., Liu, G., Song, W., Ye, C., Lin, H., Li, Z., Liu, W., 2019. Plastics in the marine environment are reservoirs for antibiotic and metal resistance genes. *Environ. Int.* 123, 79–86. <https://doi.org/10.1016/j.envint.2018.11.061>.
- Yeo, R.K.H., 2014. Blacktip reef sharks at Semakau Landfill. *Singapore Biodiversity Records*, pp. 33–34.
- Zaki, M.R.M., Zaid, S.H.M., Zainuddin, A.H., Aris, A.Z., 2021. Microplastic pollution in tropical estuary gastropods: abundance, distribution and potential sources of Klang River estuary, Malaysia. *Mar. Pollut. Bull.* 162, 111866. <https://doi.org/10.1016/j.marpolbul.2020.111866>.



- Zettler, E.R., Mincer, T.J., Amaral-Zettler, L.A., 2013. Life in the “plastisphere”: microbial communities on plastic marine debris. *Environ. Sci. Technol.* 47, 7137–7146. <https://doi.org/10.1021/es401288x>.
- Zhang, H., Bayen, S., Kelly, B.C., 2015. Multi-residue analysis of legacy POPs and emerging organic contaminants in Singapore’s coastal waters using gas chromatography-triple quadrupole tandem mass spectrometry. *Sci. Total Environ.* 523, 219–232. <https://doi.org/10.1016/j.scitotenv.2015.04.012>.
- Zhu, C., Li, D., Sun, Y., Zheng, X., Peng, X., Zheng, K., Hu, B., Luo, X., Mai, B., 2019. Plastic debris in marine birds from an island located in the South China Sea. *Mar. Pollut. Bull.* 149, 110566. <https://doi.org/10.1016/j.marpolbul.2019.110566>.

## Update

### **Science of the Total Environment**

Volume 857, Issue P3, 20 January 2023, Page

DOI: <https://doi.org/10.1016/j.scitotenv.2022.159595>



## Corrigendum

## Corrigendum to “Priorities to inform research on marine plastic pollution in Southeast Asia” [Sci. Total Environ. volume 841 (2022) Article 156704]



Lucy C.M. Omeyer<sup>a,\*</sup>, Emily M. Duncan<sup>a,b,\*\*</sup>, Kornrawee Aiemsomboon<sup>c</sup>, Nicola Beaumont<sup>d</sup>, Sujaree Bureekul<sup>c</sup>, Bin Cao<sup>e,f</sup>, Luis R. Carrasco<sup>g</sup>, Suchana Chavanich<sup>c,h</sup>, James R. Clark<sup>d</sup>, Muhammad R. Cordova<sup>i,j</sup>, Fay Couceiro<sup>k</sup>, Simon M. Cragg<sup>l,m</sup>, Neil Dickson<sup>n</sup>, Pierre Failler<sup>o</sup>, Gianluca Ferraro<sup>o</sup>, Stephen Fletcher<sup>p,q</sup>, Jenny Fong<sup>r</sup>, Alex T. Ford<sup>l</sup>, Tony Gutierrez<sup>s</sup>, Fauziah Shahul Hamid<sup>t</sup>, Jan G. Hiddink<sup>n</sup>, Pham T. Hoa<sup>u</sup>, Sophie I. Holland<sup>s</sup>, Lowenna Jones<sup>a,v</sup>, Nia H. Jones<sup>n</sup>, Heather Koldewey<sup>a,w</sup>, Federico M. Lauro<sup>e,x</sup>, Charlotte Lee<sup>y</sup>, Matt Lewis<sup>n</sup>, Danny Marks<sup>z</sup>, Sabine Matallana-Surget<sup>y</sup>, Claudia G. Mayorga-Adame<sup>aa</sup>, John McGeehan<sup>m</sup>, Lauren F. Messer<sup>y</sup>, Laura Michie<sup>l</sup>, Michelle A. Miller<sup>ab</sup>, Zeeda F. Mohamad<sup>ac</sup>, Nur Hazimah Mohamed Nor<sup>x</sup>, Moritz Müller<sup>ad</sup>, Simon P. Neill<sup>n</sup>, Sarah E. Nelms<sup>a</sup>, Deo Florence L. Onda<sup>ae</sup>, Joyce J.L. Ong<sup>x</sup>, Agamuthu Pariatamby<sup>af</sup>, Sui C. Phang<sup>o,ag</sup>, Richard Quilliam<sup>y</sup>, Peter E. Robins<sup>n</sup>, Maria Salta<sup>ah</sup>, Aida Sartimbul<sup>ai,aj</sup>, Shiori Shakuto<sup>ak</sup>, Martin W. Skov<sup>n</sup>, Evelyn B. Taboada<sup>al</sup>, Peter A. Todd<sup>am</sup>, Tai Chong Toh<sup>ra,n</sup>, Suresh Valiyaveetil<sup>ao</sup>, Voranop Viyakarn<sup>c,h</sup>, Passorn Wonnapijit<sup>ap,aq,ar</sup>, Louisa E. Wood<sup>o</sup>, Clara L.X. Yong<sup>am</sup>, Brendan J. Godley<sup>a</sup>

<sup>a</sup> Centre for Ecology and Conservation, University of Exeter, Penryn Campus, Penryn, Cornwall TR10 9EZ, United Kingdom

<sup>b</sup> OKEANOS, Universidade dos Açores, Departamento de Oceanografia e Pescas, 9901-862 Horta, Portugal

<sup>c</sup> Department of Marine Science, Faculty of Science, Chulalongkorn University, Bangkok 10330, Thailand

<sup>d</sup> Plymouth Marine Laboratory, Prospect Place, The Hoe, Plymouth, Devon PL1 3DH, United Kingdom

<sup>e</sup> Singapore Centre for Environmental Life Sciences Engineering, Nanyang Technological University, 637551, Singapore

<sup>f</sup> School of Civil and Environmental Engineering, Nanyang Technological University, 50 Nanyang Avenue, 639798, Singapore

<sup>g</sup> Department of Biological Sciences, National University of Singapore, 14 Science Drive 4, 117543, Singapore

<sup>h</sup> Aquatic Resources Research Institute Chulalongkorn University, Bangkok 10330, Thailand

<sup>i</sup> Research Centre for Oceanography, Indonesian Institute of Sciences (LIPI), Jalan Pasir Putih 1, Ancol Timur, Jakarta 14430, Indonesia

<sup>j</sup> Research Centre for Oceanography, National Research and Innovation Agency (BRIN), Jalan Pasir Putih 1, Ancol Timur, Jakarta 14430, Indonesia

<sup>k</sup> School of Civil Engineering and Surveying, Faculty of Technology, University of Portsmouth, Portsmouth, Hampshire, PO1 3AH, United Kingdom

<sup>l</sup> Institute of Marine Sciences, University of Portsmouth, Portsmouth, Hampshire, PO4 9LY, United Kingdom

<sup>m</sup> Centre for Enzyme Innovation, School of Biological Sciences, University of Portsmouth, Portsmouth, Hampshire, PO1 2DY, United Kingdom

<sup>n</sup> School of Ocean Sciences, Bangor University, Menai Bridge, Anglesey LL59 5AB, United Kingdom

<sup>o</sup> Centre for Blue Governance, Department of Economics and Finance, University of Portsmouth, Portsmouth, Hampshire, PO1 3DE, United Kingdom

<sup>p</sup> School of the Environment, Geography and Geosciences, University of Portsmouth, Portsmouth, Hampshire, PO1 3DE, United Kingdom

<sup>q</sup> UN Environment World Conservation Monitoring Centre, Cambridge, United Kingdom

<sup>r</sup> Tropical Marine Science Institute, National University of Singapore, Singapore

<sup>s</sup> School of Engineering and Physical Sciences, Institute of Mechanical, Process and Energy Engineering, Heriot-Watt University, Edinburgh, United Kingdom

<sup>t</sup> Centre for Research in Waste Management, Institute of Biological Sciences, Faculty of Science, University of Malaya, 50603 Kuala Lumpur, Malaysia

<sup>u</sup> School of Biotechnology, International University, Vietnam National University, Ho Chi Minh City, Viet Nam

<sup>v</sup> Department of Politics and International Relations, Faculty of Social Sciences, University of Sheffield, Western Bank, Sheffield S10 2TN, United Kingdom

<sup>w</sup> Zoological Society of London, London, United Kingdom

<sup>x</sup> Asian School of the Environment, Nanyang Technological University, 50 Nanyang Avenue, 639798, Singapore

<sup>y</sup> Division of Biological and Environmental Sciences, Faculty of Natural Sciences, University of Stirling, Stirling, FK9 4LA, United Kingdom

<sup>z</sup> School of Law and Government, Dublin City University, Dublin 9, Dublin, Ireland

<sup>aa</sup> National Oceanography Centre, Liverpool L3 5DA, United Kingdom

<sup>ab</sup> Asia Research Institute, National University of Singapore, Singapore

<sup>ac</sup> Department of Science and Technology Studies, Faculty of Science, University of Malaya, 50603 Kuala Lumpur, Malaysia

DOI of original article: <http://dx.doi.org/10.1016/j.scitotenv.2022.156704>.

\* Corresponding author.

\*\* Correspondence to: E.M. Duncan, OKEANOS, Universidade dos Açores, Departamento de Oceanografia e Pescas, 9901-862 Horta, Portugal.

E-mail addresses: [L.C.M.Omeyer@exeter.ac.uk](mailto:L.C.M.Omeyer@exeter.ac.uk) (L.C.M. Omeyer), [emily.m.duncan@uac.pt](mailto:emily.m.duncan@uac.pt) (E.M. Duncan).

<sup>1</sup> Joint-lead authors.

<http://dx.doi.org/10.1016/j.scitotenv.2022.159595>

Available online 26 October 2022

0048-9697/© 2022 The Author(s). Published by Elsevier B.V. All rights reserved.



- <sup>ad</sup> Faculty of Engineering, Computing and Science, Swinburne University of Technology Sarawak Campus, Kuching 93350, Malaysia
- <sup>ae</sup> The Marine Science Institute, Velasquez St., University of the Philippines, Diliman, Quezon City 1101, Philippines
- <sup>af</sup> Jeffrey Sachs Centre on Sustainable Development, Sunway University, Selangor Darul Ehsan, 47500, Malaysia
- <sup>ag</sup> The Nature Conservancy, London Office, 5 Chancery Lane Suite 403, London WC2A 1LG, United Kingdom
- <sup>ah</sup> School of Biological Sciences, University of Portsmouth, Portsmouth, Hampshire PO1 2DY, United Kingdom
- <sup>ai</sup> Faculty of Fisheries and Marine Sciences, Universitas Brawijaya, Malang 65145, East Java, Indonesia
- <sup>aj</sup> Marine Resources Exploration and Management (MEXMA) Research Group, Universitas Brawijaya, Malang 65145, East Java, Indonesia
- <sup>ak</sup> Department of Anthropology, School of Social and Political Sciences, The University of Sydney, Social Sciences Building, NSW 2006, Australia
- <sup>al</sup> BioProcess Engineering and Research Centre, Department of Chemical Engineering, School of Engineering, University of San Carlos, Cebu City 6000, Philippines
- <sup>am</sup> Experimental Marine Ecology Laboratory, Department of Biological Sciences, National University of Singapore, 16 Science Drive 4, 117558, Singapore
- <sup>an</sup> College of Alice & Peter Tan, National University of Singapore, 8 College Avenue East, 138615, Singapore
- <sup>ao</sup> Department of Chemistry, National University of Singapore, 3 Science Drive 3, 117543, Singapore
- <sup>ap</sup> Department of Genetics, Faculty of Science, Kasetsart University, Bangkok 10900, Thailand
- <sup>aq</sup> Centre for Advanced Studies in Tropical Natural Resources, Kasetsart University, Bangkok 10900, Thailand
- <sup>ar</sup> Omics Center for Agriculture, Bioresources, Food and Health, Kasetsart University (OmiKU), Bangkok 10900, Thailand

The authors regret that the printed version of the above article contained a number of errors. The correct and final version follows. The authors would like to apologise for any inconvenience caused.

The edits to Fig. 4 are as follow:

- The scale of the ‘Annual River Emissions’ scatter was one order of magnitude off due to scaling the scatter down to an appropriate size.

- The unit of measurement of the ‘National Riverine Plastic Emissions’ is tonnes per year.

**Declaration of competing interest**

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.




Fig. 4. Map of Southeast Asia showing the principal ocean currents of the region and plastic emissions per country and river. The choropleth map represents total plastic emitted into the ocean (tonnes per year), while the scatter plot (orange) shows the geospatial distribution of the relative individual river emissions (tonnes per year). Global surface warm ocean currents are represented by the thick red arrows. Regional surface currents of the Indonesia Through Flow affecting the dispersal of marine plastic litter are represented with thin grey arrows. Data on plastic emissions from Meijer et al. (2021).